

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW041919\
 Data File : VW010072.D
 Acq On : 19 Apr 2019 18:37
 Operator : SY/VA
 Sample : K2455-21
 Misc : 5.10G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAHS1

Manual Integrations
 APPROVED

MMDadoda
 4/23/2019 6:57:07 AM

Quant Time: Apr 20 05:53:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM041519S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 20 03:50:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	49424	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	53246m	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	21261	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	11118	23.80	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.20%
7) Chloroethane-d5	2.88	69	13540	28.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	114.48%
10) 1,1-Dichloroethene-d2	4.01	63	24765	19.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	76.48%
20) 2-Butanone-d5	7.07	46	10731m	42.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.94%
24) Chloroform-d	7.65	84	33781	23.64	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.56%
26) 1,2-Dichloroethane-d4	8.31	65	22379m	25.24	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.96%
29) Benzene-d6	8.27	84	64453	22.03	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.12%
33) 1,2-Dichloropropane-d6	9.27	67	22707	24.36	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.44%
37) Toluene-d8	10.32	98	58643	21.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.88%
38) trans-1,3-Dichloropropene-	10.59	79	9094	20.58	ug/L	0.01
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.32%
39) 2-Hexanone-d5	10.93	63	8289	40.14	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	17482	20.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	80.20%
61) 1,2-Dichlorobenzene-d4	13.86	152	65108m	81.46	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	325.84%#

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	8681	9.700	ug/L 93
44) Toluene	10.38	91	9430	2.834	ug/L 98
54) m,p-Xylene	11.84	106	2820	2.073	ug/L 85
55) o-xylene	12.17	106	1960	1.502	ug/L 72
56) Styrene	12.18	104	5500	2.408	ug/L 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW041919\
Data File : VW010072.D
Acq On : 19 Apr 2019 18:37
Operator : SY/VA
Sample : K2455-21
Misc : 5.10G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAHS1

Manual Integrations
APPROVED

MMDadoda
4/23/2019 6:57:07 AM

Quant Time: Apr 20 05:53:51 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM041519S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 20 03:50:46 2019
Response via : Initial Calibration

