

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW041919\
 Data File : VW010061.D
 Acq On : 19 Apr 2019 11:58
 Operator : SY/VA
 Sample : VW0419SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK09

Manual Integrations
 APPROVED

MMDadoda
 4/23/2019 6:56:59 AM

Quant Time: Apr 20 04:05:27 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM041519S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 20 03:50:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	693888	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	663104	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	300367	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	165148	25.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.76%
7) Chloroethane-d5	2.88	69	138257	20.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.28%
10) 1,1-Dichloroethene-d2	4.01	63	334533	18.40	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.60%
20) 2-Butanone-d5	7.08	46	168676	47.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.10%
24) Chloroform-d	7.64	84	437169	21.79	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.16%
26) 1,2-Dichloroethane-d4	8.30	65	281065m	22.58	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	90.32%
29) Benzene-d6	8.27	84	860002	23.60	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.40%
33) 1,2-Dichloropropane-d6	9.27	67	271060	23.35	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.40%
37) Toluene-d8	10.32	98	793026	23.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	95.40%
38) trans-1,3-Dichloropropene-	10.58	79	126334	22.96	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.84%
39) 2-Hexanone-d5	10.93	63	131961	51.31	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.62%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	243571	22.43	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.72%
61) 1,2-Dichlorobenzene-d4	13.86	152	274938	24.35	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.40%

Target Compounds					Ovalue
16) Methylene chloride	4.91	84	38948m	3.100	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW041919\
Data File : VW010061.D
Acq On : 19 Apr 2019 11:58
Operator : SY/VA
Sample : VW0419SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1




Instrument :
MSVOA_W
ClientSampleId :
VBLK09

Manual Integrations
APPROVED

MMDadoda
4/23/2019 6:56:59 AM

Quant Time: Apr 20 04:05:27 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM041519S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 20 03:50:46 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 3.100 ug/L m

RT: 4.91 min Scan# 493

Delta R.T. -0.00 min

Lab File: VW010061.D

Acq: 19 Apr 2019 11:58

Tot Ion:	84	Resp:	38948
Ion Ratio	Lower	Upper	
84	100		
49	149.8	100.7	187.1
86	58.4	43.8	81.3

Instrument :
MSVOA_W
ClientSampleId :
VBLK09

Manual Integrations
APPROVED

MMDadoda
4/23/2019 6:56:59 AM

