

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041923\
 Data File : VW025588.D
 Acq On : 19 Apr 2023 18:18
 Operator : SY/MD
 Sample : 02418-06
 Misc : 5.27g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8Z2

Quant Time: Apr 20 01:34:56 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 19 04:10:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	857237	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	640837	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	187157	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	216070	15.489	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	61.960%	
7) Chloroethane-d5	2.899	69	195757	19.710	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	78.840%	
11) 1,1-Dichloroethene-d2	4.021	63	390874	13.856	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	55.440%	
21) 2-Butanone-d5	7.075	46	171689	55.170	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	110.340%	
24) Chloroform-d	7.648	84	571773	23.755	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	95.040%	
26) 1,2-Dichloroethane-d4	8.307	65	315327	25.182	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	100.720%	
32) Benzene-d6	8.276	84	1141312	27.505	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	110.000%	
36) 1,2-Dichloropropane-d6	9.270	67	377426	29.171	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	116.680%	
41) Toluene-d8	10.325	98	903662	24.931	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	99.720%	
43) trans-1,3-Dichloroprop...	10.575	79	121600	25.068	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	100.280%	
47) 2-Hexanone-d5	10.922	63	101991	57.672	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	115.340%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	236686	27.103	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	108.400%	
66) 1,2-Dichlorobenzene-d4	13.849	152	165647	25.763	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	103.040%	
Target Compounds						
13) Acetone	4.119	43	33807	12.836	ug/L	97
16) Methylene chloride	4.917	84	30657	2.250	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041923\
Data File : VW025588.D
Acq On : 19 Apr 2023 18:18
Operator : SY/MD
Sample : 02418-06
Misc : 5.27g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW8Z2

Quant Time: Apr 20 01:34:56 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 19 04:10:43 2023
Response via : Initial Calibration

