




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041923\
 Data File : VW025583.D
 Acq On : 19 Apr 2023 16:10
 Operator : SY/MD
 Sample : 02418-15
 Misc : 4.89g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8Z9

Manual IntegrationsAPPROVED

Quant Time: Apr 20 01:34:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 19 04:10:43 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/20/2023
 Supervised By :Mahesh Dadoda 04/22/2023



TIC: VW025583.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.465min (+ 0.165) 0.01 ug/L

response 140

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.50	40.71
51.00	124.00	96.43
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041923\
 Data File : VW025583.D
 Acq On : 19 Apr 2023 16:10
 Operator : SY/MD
 Sample : 02418-15
 Misc : 4.89g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8Z9

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/20/2023
 Supervised By :Mahesh Dadoda 04/22/2023

Quant Time: Apr 20 01:34:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 19 04:10:43 2023
 Response via : Initial Calibration



TIC: VW025583.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (+ 0.006) 24.52 ug/L m

response 326749

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.50	0.02#
51.00	124.00	0.04#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041923\
 Data File : VW025583.D
 Acq On : 19 Apr 2023 16:10
 Operator : SY/MD
 Sample : 02418-15
 Misc : 4.89g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8Z9

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/20/2023
 Supervised By :Mahesh Dadoda 04/22/2023

Quant Time: Apr 20 01:34:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 19 04:10:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	912259	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	798694	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	347804	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	210817	14.201	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	56.800%		
7) Chloroethane-d5	2.899	69	188800	17.863	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.440%		
11) 1,1-Dichloroethene-d2	4.027	63	388251	12.932	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	51.720%		
21) 2-Butanone-d5	7.075	46	188359	56.876	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	113.760%		
24) Chloroform-d	7.648	84	570951	22.291	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	89.160%		
26) 1,2-Dichloroethane-d4	8.307	65	326749m	24.521	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	98.080%		
32) Benzene-d6	8.276	84	1160040	22.431	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	89.720%		
36) 1,2-Dichloropropane-d6	9.270	67	381902	23.683	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	94.720%		
41) Toluene-d8	10.319	98	974180	21.564	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	86.240%		
43) trans-1,3-Dichloroprop...	10.575	79	136166	22.523	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	90.080%		
47) 2-Hexanone-d5	10.922	63	116502	52.857	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	105.720%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	281047	25.822	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	103.280%		
66) 1,2-Dichlorobenzene-d4	13.848	152	293367	24.552	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	98.200%		
Target Compounds					Qvalue	
13) Acetone	4.119	43	31739	11.324	ug/L	95
16) Methylene chloride	4.911	84	33823	2.333	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041923\
Data File : VW025583.D
Acq On : 19 Apr 2023 16:10
Operator : SY/MD
Sample : 02418-15
Misc : 4.89g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW8Z9

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/20/2023
Supervised By :Mahesh Dadoda 04/22/2023

Quant Time: Apr 20 01:34:16 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 19 04:10:43 2023
Response via : Initial Calibration

