

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042022\
 Data File : VW022584.D
 Acq On : 20 Apr 2022 13:11
 Operator : SY/VA
 Sample : N2469-04
 Misc : 5.46g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Apr 21 01:20:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 21 01:19:16 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	373784	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	284972	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	79141	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	108680	13.152	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	52.600%
7) Chloroethane-d5	2.891	69	78441	15.147	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.600%
11) 1,1-Dichloroethene-d2	4.013	63	130344	12.162	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	48.640%
21) 2-Butanone-d5	7.074	46	60127	41.678	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.360%
24) Chloroform-d	7.647	84	240304	20.568	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.280%
26) 1,2-Dichloroethane-d4	8.451	65	204	0.031	ug/L	0.15
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.120%#
32) Benzene-d6	8.275	84	409120	23.498	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.000%
36) 1,2-Dichloropropane-d6	9.274	67	130800	25.960	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.840%
41) Toluene-d8	10.323	98	329906	19.347	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.400%
43) trans-1,3-Dichloroprop...	10.573	79	40276	16.938	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	67.760%
47) 2-Hexanone-d5	10.920	63	39207	41.824	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.640%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	88663	20.696	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	82.800%
66) 1,2-Dichlorobenzene-d4	13.853	152	55761	19.892	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	79.560%
Target Compounds					Qvalue	
13) Acetone	4.123	43	4041	4.114	ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042022\
Data File : VW022584.D
Acq On : 20 Apr 2022 13:11
Operator : SY/VA
Sample : N2469-04
Misc : 5.46g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Apr 21 01:20:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Apr 21 01:19:16 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.114 ug/L
 RT: 4.123 min Scan# 30
 Delta R.T. -0.000 min
 Lab File: VW022584.D
 Acq: 20 Apr 2022 13:11

Instrument :
 MSVOA_W
 ClientSampleId :



Tgt Ion: 43 Resp: 4041
 Ion Ratio Lower Upper
 43 100
 58 22.9 0.0 57.0

