




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042023\
 Data File : VW025606.D
 Acq On : 20 Apr 2023 15:16
 Operator : SY/MD
 Sample : 02418-08
 Misc : 3.82g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8Z4

Manual IntegrationsAPPROVED

Quant Time: Apr 21 01:50:52 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 21 01:47:12 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/21/2023
 Supervised By :Mahesh Dadoda 04/22/2023



TIC: VW025606.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.526min (+ 0.219) 0.01 ug/L

response 66

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.50	57.58
51.00	124.00	136.36
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042023\
 Data File : VW025606.D
 Acq On : 20 Apr 2023 15:16
 Operator : SY/MD
 Sample : 02418-08
 Misc : 3.82g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8Z4

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/21/2023
 Supervised By :Mahesh Dadoda 04/22/2023

Quant Time: Apr 21 01:50:52 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 21 01:47:12 2023
 Response via : Initial Calibration



TIC: VW025606.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (-0.000) 29.92 ug/L m

response 259151

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.50	0.01#
51.00	124.00	0.03#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042023\
 Data File : VW025606.D
 Acq On : 20 Apr 2023 15:16
 Operator : SY/MD
 Sample : 02418-08
 Misc : 3.82g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8Z4

Manual IntegrationsAPPROVED

Quant Time: Apr 21 01:50:52 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 21 01:47:12 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/21/2023
 Supervised By :Mahesh Dadoda 04/22/2023

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	592980	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	402605	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	104882	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	173380	17.968	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	71.880%	
7) Chloroethane-d5	2.899	69	166717	24.267	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	97.080%	
11) 1,1-Dichloroethene-d2	4.021	63	293162	15.023	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	60.080%	
21) 2-Butanone-d5	7.075	46	172201	79.994	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	159.980%#	
24) Chloroform-d	7.648	84	448295	26.925	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	107.720%	
26) 1,2-Dichloroethane-d4	8.307	65	259151m	29.919	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	119.680%	
32) Benzene-d6	8.276	84	868920	33.331	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	133.320%	
36) 1,2-Dichloropropane-d6	9.276	67	305661	37.604	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	150.400%#	
41) Toluene-d8	10.325	98	629958	27.664	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	110.640%	
43) trans-1,3-Dichloroprop...	10.575	79	78937	25.902	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	103.600%	
47) 2-Hexanone-d5	10.922	63	98405	88.570	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	177.140%#	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	205196	37.401	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	149.600%#	
66) 1,2-Dichlorobenzene-d4	13.854	152	106519	29.562	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	118.240%	
Target Compounds						
					Qvalue	
13) Acetone	4.118	43	227147	124.675	ug/L	100
14) Carbon disulfide	4.393	76	19192	0.661	ug/L	100
22) 2-Butanone	7.167	43	93548	36.119	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042023\
Data File : VW025606.D
Acq On : 20 Apr 2023 15:16
Operator : SY/MD
Sample : 02418-08
Misc : 3.82g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW8Z4

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/21/2023
Supervised By :Mahesh Dadoda 04/22/2023

Quant Time: Apr 21 01:50:52 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 21 01:47:12 2023
Response via : Initial Calibration

