

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042023\
 Data File : VW025616.D
 Acq On : 20 Apr 2023 19:15
 Operator : SY/MD
 Sample : 02417-13
 Misc : 4.80g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8X9

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/21/2023
 Supervised By :Mahesh Dadoda 04/22/2023

Quant Time: Apr 21 01:53:06 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 21 01:47:12 2023
 Response via : Initial Calibration

04/21/2023
 Supervised By :Mahesh
 Dadoda

04/22/2023

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	458293	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	329676	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	80728	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	122572	16.436	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	65.760%	
7) Chloroethane-d5	2.899	69	107234	20.196	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	80.800%	
11) 1,1-Dichloroethene-d2	4.021	63	206943	13.721	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	54.880%	
21) 2-Butanone-d5	7.075	46	111644	67.105	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	134.200%	
24) Chloroform-d	7.648	84	293981	22.846	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	91.400%	
26) 1,2-Dichloroethane-d4	8.307	65	178111m	26.606	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	106.440%	
32) Benzene-d6	8.276	84	551550	25.837	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	103.360%	
36) 1,2-Dichloropropane-d6	9.276	67	193557	29.080	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	116.320%	
41) Toluene-d8	10.325	98	406053	21.776	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	87.120%	
43) trans-1,3-Dichloroprop...	10.575	79	63536	25.461	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	101.840%	
47) 2-Hexanone-d5	10.922	63	66738	73.356	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	146.720%#	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	143074	31.847	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	127.400%#	
66) 1,2-Dichlorobenzene-d4	13.849	152	65051	23.455	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	93.840%	
Target Compounds						
13) Acetone	4.125	43	25001	17.755	ug/L	97
16) Methylene chloride	4.917	84	39025	5.357	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042023\
Data File : VW025616.D
Acq On : 20 Apr 2023 19:15
Operator : SY/MD
Sample : 02417-13
Misc : 4.80g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW8X9


Quant Time: Apr 21 01:53:06 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 21 01:47:12 2023
Response via : Initial Calibration


Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 04/21/2023
Supervised By :Mahesh Dadoda 04/22/2023

04/21/2023
Supervised By :Mahesh
Dadoda


04/22/2023





#13
Acetone
Concen: 17.755 ug/L
RT: 4.125 min Scan# 367
Delta R.T. 0.000 min
Lab File: VW025616.D
Acq: 20 Apr 2023 19:15



Instrument :
MSVOA_W
ClientSampleId :
EW8X9




Tgt Ion: 43 Resp: 2500
Ion Ratio Lower Upper
43 100
58 30.2 0.0 57.4

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 04/21/2023
Supervised By :Mahesh Dadoda 04/22/2023



04/21/2023
Supervised By :Mahesh
Dadoda
04/22/2023



#16
Methylene chloride
Concen: 5.357 ug/L
RT: 4.917 min Scan# 497
Delta R.T. 0.000 min
Lab File: VW025616.D
Acq: 20 Apr 2023 19:15



Tgt Ion: 84 Resp: 39025
Ion Ratio Lower Upper
84 100
86 64.4 44.9 83.3
49 138.6 101.4 188.4

