

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042523\
 Data File : VW025672.D
 Acq On : 25 Apr 2023 10:39
 Operator : SY/MD
 Sample : 02479-03
 Misc : 5.54g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW944

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/26/2023
 Supervised By :Mahesh Dadoda 04/26/2023

Quant Time: Apr 26 01:14:25 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	694460	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	377965	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	68617	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	184570	16.332	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	65.320%		
7) Chloroethane-d5	2.899	69	168441	20.935	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	83.760%		
11) 1,1-Dichloroethene-d2	4.021	63	307301m	13.446	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	53.800%		
21) 2-Butanone-d5	7.075	46	175843	69.749	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	139.500%#		
24) Chloroform-d	7.648	84	452695	23.217	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	92.880%		
26) 1,2-Dichloroethane-d4	8.307	65	267613m	26.381	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	105.520%		
32) Benzene-d6	8.276	84	850494	34.751	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	139.000%#		
36) 1,2-Dichloropropane-d6	9.276	67	296615	38.870	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	155.480%#		
41) Toluene-d8	10.325	98	547078	25.590	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	102.360%		
43) trans-1,3-Dichloroprop...	10.575	79	76178	26.627	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	106.520%		
47) 2-Hexanone-d5	10.922	63	99661	95.548	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	191.100%#		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	202589	39.334	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	157.320%#		
66) 1,2-Dichlorobenzene-d4	13.854	152	59905	25.412	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	101.640%		
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	33548	3.039	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042523\
Data File : VW025672.D
Acq On : 25 Apr 2023 10:39
Operator : SY/MD
Sample : 02479-03
Misc : 5.54g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW944

Quant Time: Apr 26 01:14:25 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 26 01:13:04 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 04/26/2023
Supervised By :Mahesh Dadoda 04/26/2023

