

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042523\
 Data File : VW025675.D
 Acq On : 25 Apr 2023 11:51
 Operator : SY/MD
 Sample : 02479-11
 Misc : 6.25g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW952

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/26/2023
 Supervised By :Mahesh Dadoda 04/26/2023

Quant Time: Apr 26 01:15:01 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	871898	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	702019	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	227624	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	176765	12.459	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	49.840%		
7) Chloroethane-d5	2.899	69	164969	16.331	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	65.320%		
11) 1,1-Dichloroethene-d2	4.021	63	328380	11.445	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	45.760%		
21) 2-Butanone-d5	7.075	46	150756	47.629	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	95.260%		
24) Chloroform-d	7.648	84	523774	21.395	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	85.600%		
26) 1,2-Dichloroethane-d4	8.307	65	287471m	22.572	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	90.280%		
32) Benzene-d6	8.276	84	1003143	22.068	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	88.280%		
36) 1,2-Dichloropropane-d6	9.270	67	344363	24.296	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	97.200%		
41) Toluene-d8	10.325	98	805899	20.296	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	81.200%		
43) trans-1,3-Dichloroprop...	10.575	79	106104	19.967	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	79.880%		
47) 2-Hexanone-d5	10.922	63	94234	48.641	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	97.280%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	238289	24.909	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	99.640%		
66) 1,2-Dichlorobenzene-d4	13.848	152	181054	23.153	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	92.600%		
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	60801	4.387	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042523\
Data File : VW025675.D
Acq On : 25 Apr 2023 11:51
Operator : SY/MD
Sample : 02479-11
Misc : 6.25g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW952

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 04/26/2023
Supervised By :Mahesh Dadoda 04/26/2023

Quant Time: Apr 26 01:15:01 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 26 01:13:04 2023
Response via : Initial Calibration

