

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042523\
 Data File : VW025683.D
 Acq On : 25 Apr 2023 15:22
 Operator : SY/MD
 Sample : 02479-06
 Misc : 4.22g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW947

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/26/2023
 Supervised By :Mahesh Dadoda 04/26/2023

Quant Time: Apr 26 01:16:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	948572	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	736487	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	228612	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	181063	11.730	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	46.920%	
7) Chloroethane-d5	2.893	69	170495	15.514	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	62.040%	
11) 1,1-Dichloroethene-d2	4.027	63	332582m	10.654	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	42.600%#	
21) 2-Butanone-d5	7.075	46	169569	49.242	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	98.480%	
24) Chloroform-d	7.648	84	530493	19.918	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	79.680%	
26) 1,2-Dichloroethane-d4	8.301	65	297024m	21.437	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	85.760%	
32) Benzene-d6	8.276	84	1012730	21.236	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	84.960%	
36) 1,2-Dichloropropane-d6	9.270	67	350697	23.585	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	94.360%	
41) Toluene-d8	10.325	98	809184	19.425	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	77.680%	
43) trans-1,3-Dichloroprop...	10.575	79	110684	19.854	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	79.400%	
47) 2-Hexanone-d5	10.922	63	104011	51.175	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	102.360%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	251859	25.095	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	100.400%	
66) 1,2-Dichlorobenzene-d4	13.848	152	176930	22.528	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	90.120%	
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	69518	4.611	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042523\
Data File : VW025683.D
Acq On : 25 Apr 2023 15:22
Operator : SY/MD
Sample : 02479-06
Misc : 4.22g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW947

Quant Time: Apr 26 01:16:41 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 26 01:13:04 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 04/26/2023
Supervised By :Mahesh Dadoda 04/26/2023

