

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
 Data File : VW025711.D
 Acq On : 26 Apr 2023 18:54
 Operator : SY/MD
 Sample : 02499-10
 Misc : 5.68g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCG2

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023

Quant Time: Apr 27 01:26:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	818260	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	746834	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	339100	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	151120	11.349	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	45.400%
7) Chloroethane-d5	2.899	69	132747	14.003	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	56.000%
11) 1,1-Dichloroethene-d2	4.021	63	285230	10.592	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	42.360%#
21) 2-Butanone-d5	7.075	46	189809	63.898	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	127.800%
24) Chloroform-d	7.648	84	475251	20.686	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.760%
26) 1,2-Dichloroethane-d4	8.307	65	281495m	23.551	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.200%
32) Benzene-d6	8.276	84	888345	18.370	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	73.480%
36) 1,2-Dichloropropane-d6	9.276	67	317799	21.077	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.320%
41) Toluene-d8	10.325	98	764760	18.104	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	72.400%
43) trans-1,3-Dichloroprop...	10.575	79	114852	20.317	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.280%
47) 2-Hexanone-d5	10.922	63	121320	58.865	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	117.720%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	289272	28.424	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	113.680%
66) 1,2-Dichlorobenzene-d4	13.848	152	273707	23.495	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.960%
Target Compounds					Qvalue	
13) Acetone	4.119	43	32914	13.092	ug/L	94
16) Methylene chloride	4.923	84	37633	2.893	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
Data File : VW025711.D
Acq On : 26 Apr 2023 18:54
Operator : SY/MD
Sample : 02499-10
Misc : 5.68g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCCG2

Quant Time: Apr 27 01:26:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 26 01:13:04 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 04/27/2023
Supervised By :Mahesh Dadoda 05/01/2023

