




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
 Data File : VW025707.D
 Acq On : 26 Apr 2023 17:18
 Operator : SY/MD
 Sample : 02499-06
 Misc : 5.12g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCE1

Manual IntegrationsAPPROVED

Quant Time: Apr 27 01:26:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023



TIC: VW025707.D\data.ms

(16) Methylene chloride (T)

4.917min (-0.000) 1.72 ug/L

response 21942

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	64.10	63.23
49.00	144.90	142.39
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
 Data File : VW025707.D
 Acq On : 26 Apr 2023 17:18
 Operator : SY/MD
 Sample : 02499-06
 Misc : 5.12g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCE1

Manual IntegrationsAPPROVED

Quant Time: Apr 27 01:26:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023



TIC: VW025707.D\data.ms

(16) Methylene chloride (T)

4.917min (-0.000) 1.83 ug/L m

response 23382

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	64.10	63.23
49.00	144.90	142.39
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
 Data File : VW025707.D
 Acq On : 26 Apr 2023 17:18
 Operator : SY/MD
 Sample : 02499-06
 Misc : 5.12g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCE1

Manual IntegrationsAPPROVED

Quant Time: Apr 27 01:26:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023



(24) Chloroform-d (S)

7.837min (+ 0.189) 0.01 ug/L

response 163

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	61.50	71.78
47.00	51.00	62.58
49.00	28.80	34.97




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
 Data File : VW025707.D
 Acq On : 26 Apr 2023 17:18
 Operator : SY/MD
 Sample : 02499-06
 Misc : 5.12g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCE1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023

Quant Time: Apr 27 01:26:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration



TIC: VW025707.D\data.ms

(24) Chloroform-d (S)

7.648min (-0.000) 18.13 ug/L m

response 408987

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	61.50	0.03#
47.00	51.00	0.02#
49.00	28.80	0.01#




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
 Data File : VW025707.D
 Acq On : 26 Apr 2023 17:18
 Operator : SY/MD
 Sample : 02499-06
 Misc : 5.12g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCE1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023

Quant Time: Apr 27 01:26:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration



TIC: VW025707.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.093min (-0.214) 0.01 ug/L

response	134	
Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.50	49.25
51.00	124.00	97.01
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
Data File : VW025707.D
Acq On : 26 Apr 2023 17:18
Operator : SY/MD
Sample : 02499-06
Misc : 5.12g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCCE1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/27/2023
Supervised By :Mahesh Dadoda 05/01/2023

Quant Time: Apr 27 01:26:26 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 26 01:13:04 2023
Response via : Initial Calibration



TIC: VW025707.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.306min (-0.000) 21.11 ug/L m

response 247728

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.50	0.03#
51.00	124.00	0.05#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
 Data File : VW025707.D
 Acq On : 26 Apr 2023 17:18
 Operator : SY/MD
 Sample : 02499-06
 Misc : 5.12g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCE1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023

Quant Time: Apr 27 01:26:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 26 01:13:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	803471	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	735968	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	354337	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	131280	10.041	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	40.160%		
7) Chloroethane-d5	2.899	69	112476	12.083	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	48.320%		
11) 1,1-Dichloroethene-d2	4.021	63	245796	9.296	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	37.200%#		
21) 2-Butanone-d5	7.075	46	196972	67.530	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	135.060%#		
24) Chloroform-d	7.648	84	408987m	18.129	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	72.520%		
26) 1,2-Dichloroethane-d4	8.306	65	247728m	21.108	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	84.440%		
32) Benzene-d6	8.276	84	768984	16.137	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	64.560%		
36) 1,2-Dichloropropane-d6	9.276	67	271462	18.269	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	73.080%		
41) Toluene-d8	10.324	98	648377	15.576	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	62.320%		
43) trans-1,3-Dichloroprop...	10.574	79	100093	17.967	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	71.880%		
47) 2-Hexanone-d5	10.922	63	123042	60.582	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	121.160%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	276924	27.612	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	110.440%		
66) 1,2-Dichlorobenzene-d4	13.848	152	241441	19.834	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	79.320%		
Target Compounds					Qvalue	
13) Acetone	4.124	43	27474	11.129	ug/L	99
16) Methylene chloride	4.917	84	23382m	1.831	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042623\
Data File : VW025707.D
Acq On : 26 Apr 2023 17:18
Operator : SY/MD
Sample : 02499-06
Misc : 5.12g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCCE1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/27/2023
Supervised By :Mahesh Dadoda 05/01/2023

Quant Time: Apr 27 01:26:26 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 26 01:13:04 2023
Response via : Initial Calibration

