

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
 Data File : VW022713.D
 Acq On : 29 Apr 2022 22:05
 Operator : SY/VA
 Sample : N2638-03
 Misc : 4.90g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Apr 30 02:00:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 30 01:41:13 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	123072	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	119672	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	55168	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	47428	17.432	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.720%
7) Chloroethane-d5	2.959	69	359	0.211	ug/L	0.07
Spiked Amount	25.000	Range	30 - 150	Recovery	=	0.840%#
11) 1,1-Dichloroethene-d2	4.019	63	58580	16.600	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	66.400%
21) 2-Butanone-d5	7.080	46	32973	69.416	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	138.840%#
24) Chloroform-d	7.653	84	99441	25.850	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	103.400%
26) 1,2-Dichloroethane-d4	8.305	65	60218	27.398	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	109.600%
32) Benzene-d6	8.275	84	178622	24.430	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.720%
36) 1,2-Dichloropropane-d6	9.275	67	57067	26.971	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	107.880%
41) Toluene-d8	10.323	98	164805	23.015	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.040%
43) trans-1,3-Dichloroprop...	10.579	79	22668	22.701	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.800%
47) 2-Hexanone-d5	10.921	63	25866	65.706	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	131.420%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	57020	31.694	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	126.760%#
66) 1,2-Dichlorobenzene-d4	13.847	152	54321	27.799	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	111.200%
Target Compounds					Qvalue	
13) Acetone	4.135	43	2899	8.964	ug/L	58
46) Tetrachloroethene	10.860	164	6254	3.911	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
Data File : VW022713.D
Acq On : 29 Apr 2022 22:05
Operator : SY/VA
Sample : N2638-03
Misc : 4.90g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Apr 30 02:00:53 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Apr 30 01:41:13 2022
Response via : Initial Calibration









#13
Acetone
Concen: 8.964 ug/L
RT: 4.135 min Scan# 366
Delta R.T. 0.006 min
Lab File: VW022713.D
Acq: 29 Apr 2022 22:05

Instrument :
MSVOA_W
ClientSampleId :

Tgt Ion: 43 Resp: 2899
Ion Ratio Lower Upper
43 100
58 6.2 0.0 57.0



#46
Tetrachloroethene
Concen: 3.911 ug/L
RT: 10.860 min Scan# 1469
Delta R.T. -0.000 min
Lab File: VW022713.D
Acq: 29 Apr 2022 22:05

Tgt Ion: 164 Resp: 6254
Ion Ratio Lower Upper
164 100
129 98.9 74.1 137.7
131 94.9 71.4 132.6
166 126.6 95.9 178.1

