

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
 Data File : VW022724.D
 Acq On : 30 Apr 2022 02:30
 Operator : SY/VA
 Sample : N2638-20
 Misc : 5.58g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Apr 30 04:03:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 30 01:41:13 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	205843	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	200929	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	95097	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	89066	19.573	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.280%
7) Chloroethane-d5	2.885	69	64516	22.622	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.480%
11) 1,1-Dichloroethene-d2	4.117	63	307	0.052	ug/L	0.10
Spiked Amount	25.000	Range	45 - 110	Recovery	=	0.200%#
21) 2-Butanone-d5	7.074	46	48598	61.170	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	122.340%
24) Chloroform-d	7.647	84	179086	27.835	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	111.320%
26) 1,2-Dichloroethane-d4	8.305	65	103535	28.164	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	112.640%
32) Benzene-d6	8.275	84	328648	26.772	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	107.080%
36) 1,2-Dichloropropane-d6	9.274	67	100678	28.340	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	113.360%
41) Toluene-d8	10.323	98	302035	25.121	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	100.480%
43) trans-1,3-Dichloroprop...	10.573	79	38468	22.944	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.760%
47) 2-Hexanone-d5	10.920	63	39696	60.058	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	120.120%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	93813	31.057	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	124.240%#
66) 1,2-Dichlorobenzene-d4	13.853	152	91672	27.216	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	108.880%
Target Compounds						Qvalue
46) Tetrachloroethene	10.859	164	40581	15.114	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
Data File : VW022724.D
Acq On : 30 Apr 2022 02:30
Operator : SY/VA
Sample : N2638-20
Misc : 5.58g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Apr 30 04:03:42 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Apr 30 01:41:13 2022
Response via : Initial Calibration





#46
 Tetrachloroethene
 Concen: 15.114 ug/L
 RT: 10.859 min Scan# 14
 Delta R.T. -0.000 min
 Lab File: VW022724.D
 Acq: 30 Apr 2022 02:30

Instrument :
 MSVOA_W
 ClientSampleId :



Tgt Ion:	164	Resp:	40581
Ion	Ratio	Lower	Upper
164	100		
129	100.8	74.1	137.7
131	96.4	71.4	132.6
166	125.4	95.9	178.1

