




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
 Data File : VW022698.D
 Acq On : 29 Apr 2022 14:21
 Operator : SY/VA
 Sample : N2623-02
 Misc : 5.32g/10mL/MSVOA_W/SoIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFFJ2

Manual IntegrationsAPPROVED

Quant Time: Apr 29 22:25:18 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 29 22:19:25 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/01/2022
 Supervised By :Mahesh Dadoda 05/04/2022



TIC: VW022698.D\data.ms

(21) 2-Butanone-d5 (S)

7.214min (+ 0.134) 0.23 ug/L

response 249

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	24.70	24.10
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
 Data File : VW022698.D
 Acq On : 29 Apr 2022 14:21
 Operator : SY/VA
 Sample : N2623-02
 Misc : 5.32g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFFJ2

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/01/2022
 Supervised By :Mahesh Dadoda 05/04/2022

Quant Time: Apr 29 22:25:18 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 29 22:19:25 2022
 Response via : Initial Calibration



TIC: VW022698.D\data.ms

(21) 2-Butanone-d5 (S)

7.080min (+ 0.000) 69.13 ug/L m

response 75493

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	24.70	0.08#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
 Data File : VW022698.D
 Acq On : 29 Apr 2022 14:21
 Operator : SY/VA
 Sample : N2623-02
 Misc : 5.32g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFFJ2

Manual IntegrationsAPPROVED

Quant Time: Apr 29 22:25:18 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 29 22:19:25 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/01/2022
 Supervised By :Mahesh Dadoda 05/04/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	282934	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	265251	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	107145	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	70937	11.341	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	45.360%	
7) Chloroethane-d5	2.886	69	63366	16.165	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	64.640%	
11) 1,1-Dichloroethene-d2	4.019	63	80017	9.863	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	39.440%#	
21) 2-Butanone-d5	7.080	46	75493m	69.132	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	138.260%#	
24) Chloroform-d	7.647	84	186029	21.036	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	84.160%	
26) 1,2-Dichloroethane-d4	8.305	65	111713	22.109	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	88.440%	
32) Benzene-d6	8.275	84	305853	18.873	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	75.480%	
36) 1,2-Dichloropropane-d6	9.275	67	104725	22.330	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	89.320%	
41) Toluene-d8	10.323	98	257904	16.249	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	65.000%	
43) trans-1,3-Dichloroprop...	10.573	79	39348	17.778	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	71.120%	
47) 2-Hexanone-d5	10.921	63	59608	68.315	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	136.640%#	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	112106	28.113	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	112.440%	
66) 1,2-Dichlorobenzene-d4	13.847	152	80017	21.084	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	84.320%	
Target Compounds						
					Qvalue	
13) Acetone	4.123	43	12364	16.629	ug/L	98
16) Methylene chloride	4.922	84	46218	10.856	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
Data File : VW022698.D
Acq On : 29 Apr 2022 14:21
Operator : SY/VA
Sample : N2623-02
Misc : 5.32g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFFJ2

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/01/2022
Supervised By :Mahesh Dadoda 05/04/2022

Quant Time: Apr 29 22:25:18 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 29 22:19:25 2022
Response via : Initial Calibration

