




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
 Data File : VW022724.D
 Acq On : 30 Apr 2022 02:30
 Operator : SY/VA
 Sample : N2638-19
 Misc : 5.41g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL12

Manual IntegrationsAPPROVED

Quant Time: May 17 05:51:27 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 30 01:41:13 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/02/2022
 Supervised By :Mahesh Dadoda 05/04/2022



TIC: VW022724.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.117min (+ 0.097) 0.05 ug/L

response 307

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	68.50	71.99
65.00	22.80	20.85
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
 Data File : VW022724.D
 Acq On : 30 Apr 2022 02:30
 Operator : SY/VA
 Sample : N2638-19
 Misc : 5.41g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL12

Manual IntegrationsAPPROVED

Quant Time: Apr 30 04:03:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 30 01:41:13 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/02/2022
 Supervised By :Mahesh Dadoda 05/04/2022



TIC: VW022724.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.013min (-0.006) 17.48 ug/L m

response 103151

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	68.50	0.21#
65.00	22.80	0.06#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
 Data File : VW022724.D
 Acq On : 30 Apr 2022 02:30
 Operator : SY/VA
 Sample : N2638-19
 Misc : 5.41g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL12

Manual IntegrationsAPPROVED

Quant Time: Apr 30 04:03:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 30 01:41:13 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/02/2022
 Supervised By :Mahesh Dadoda 05/04/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	205843	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	200929	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	95097	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	89066	19.573	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	78.280%	
7) Chloroethane-d5	2.885	69	64516	22.622	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	90.480%	
11) 1,1-Dichloroethene-d2	4.013	63	103151m	17.477	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	69.920%	
21) 2-Butanone-d5	7.074	46	48598	61.170	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	122.340%	
24) Chloroform-d	7.647	84	179086	27.835	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	111.320%	
26) 1,2-Dichloroethane-d4	8.305	65	103535	28.164	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	112.640%	
32) Benzene-d6	8.275	84	328648	26.772	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	107.080%	
36) 1,2-Dichloropropane-d6	9.274	67	100678	28.340	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	113.360%	
41) Toluene-d8	10.323	98	302035	25.121	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	100.480%	
43) trans-1,3-Dichloroprop...	10.573	79	38468	22.944	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	91.760%	
47) 2-Hexanone-d5	10.920	63	39696	60.058	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	120.120%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	93813	31.057	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	124.240%#	
66) 1,2-Dichlorobenzene-d4	13.853	152	91672	27.216	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	108.880%	
Target Compounds						
46) Tetrachloroethene	10.859	164	40581	15.114	ug/L	Qvalue 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042922\
Data File : VW022724.D
Acq On : 30 Apr 2022 02:30
Operator : SY/VA
Sample : N2638-19
Misc : 5.41g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXL12

Manual IntegrationsAPPROVED

Quant Time: Apr 30 04:03:42 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Apr 30 01:41:13 2022
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/02/2022
Supervised By :Mahesh Dadoda 05/04/2022

