

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW050119\
 Data File : VW010236.D
 Acq On : 01 May 2019 04:16
 Operator : SY/VA
 Sample : K2602-14
 Misc : 4.84G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFHF1

Quant Time: May 01 07:38:22 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM042919S.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 01 03:52:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	511040	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	507531	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	222487	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	77573	13.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	53.52%
7) Chloroethane-d5	2.89	69	77763	16.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.44%
10) 1,1-Dichloroethene-d2	4.01	63	159287	12.36	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	49.44%
20) 2-Butanone-d5	7.08	46	108770	50.87	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.74%
24) Chloroform-d	7.64	84	304598	23.00	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.00%
26) 1,2-Dichloroethane-d4	8.31	65	188961	24.84	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.36%
29) Benzene-d6	8.27	84	524953	19.21	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	76.84%
33) 1,2-Dichloropropane-d6	9.27	67	192779	22.58	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.32%
37) Toluene-d8	10.32	98	444845	17.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	71.60%
38) trans-1,3-Dichloropropene-	10.58	79	71817	18.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	73.04%
39) 2-Hexanone-d5	10.93	63	77271	43.07	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.14%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	168959	23.17	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.68%
61) 1,2-Dichlorobenzene-d4	13.85	152	190907	23.10	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.40%


Target Compounds					Qvalue
49) 2-Hexanone	10.92	43	12988	3.488 ug/L	# 65


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW050119\
Data File : VW010236.D
Acq On : 01 May 2019 04:16
Operator : SY/VA
Sample : K2602-14
Misc : 4.84G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFHF1

Quant Time: May 01 07:38:22 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM042919S.M
Quant Title : VOC Analysis
QLast Update : Wed May 01 03:52:51 2019
Response via : Initial Calibration





#49

2-Hexanone

Concen: 3.488 ug/L

RT: 10.92 min Scan# 1479

Delta R.T. -0.05 min

Lab File: VW010236.D

Acq: 01 May 2019 04:16

Instrument :

MSVOA_W

ClientSampleId :

BFHF1

Tgt Ion: 43 Resp: 12988

Ion Ratio Lower Upper

43 100

58 26.9 41.4 62.2#

57 0.0 14.8 22.2#

100 3.3 9.3 13.9#

