

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050223\
 Data File : VW025800.D
 Acq On : 02 May 2023 15:26
 Operator : SY/MD
 Sample : 02549-10
 Misc : 5.25g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCC7

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/03/2023
 Supervised By :Mahesh Dadoda 05/03/2023

Quant Time: May 03 01:23:34 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 03 01:20:37 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	899175	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	799116	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	363890	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	304796	23.921	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	95.680%		
7) Chloroethane-d5	2.899	69	219376	23.223	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	92.880%		
11) 1,1-Dichloroethene-d2	4.027	65	143129	22.433	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	89.720%		
21) 2-Butanone-d5	7.075	46	196390	46.623	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	93.240%		
24) Chloroform-d	7.648	84	561414	21.653	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	86.600%		
26) 1,2-Dichloroethane-d4	8.306	65	328064m	22.376	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	89.520%		
32) Benzene-d6	8.276	84	1167110	22.352	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	89.400%		
36) 1,2-Dichloropropane-d6	9.270	67	372014	22.267	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	89.080%		
41) Toluene-d8	10.324	98	1024164	21.996	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	88.000%		
43) trans-1,3-Dichloroprop...	10.574	79	142204	20.999	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	84.000%		
47) 2-Hexanone-d5	10.922	63	135041	47.402	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	94.800%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	297313	23.349	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	93.400%		
66) 1,2-Dichlorobenzene-d4	13.848	152	323097	24.357	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	97.440%		
Target Compounds					Qvalue	
13) Acetone	4.118	43	77921	20.862	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050223\
Data File : VW025800.D
Acq On : 02 May 2023 15:26
Operator : SY/MD
Sample : 02549-10
Misc : 5.25g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCCC7

Quant Time: May 03 01:23:34 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 03 01:20:37 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 05/03/2023
Supervised By : Mahesh Dadoda 05/03/2023

