

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050223\
 Data File : VW025803.D
 Acq On : 02 May 2023 16:38
 Operator : SY/MD
 Sample : 02549-15
 Misc : 5.38g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCCD2

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/03/2023
 Supervised By :Mahesh Dadoda 05/03/2023

Quant Time: May 03 01:24:08 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 03 01:20:37 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	778919	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	702889	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	317569	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	265771	24.078	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	96.320%		
7) Chloroethane-d5	2.899	69	191701	23.426	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	93.720%		
11) 1,1-Dichloroethene-d2	4.027	65	123312	22.311	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	89.240%		
21) 2-Butanone-d5	7.075	46	197695	54.178	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	108.360%		
24) Chloroform-d	7.648	84	516499	22.996	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	92.000%		
26) 1,2-Dichloroethane-d4	8.307	65	314671m	24.776	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	99.120%		
32) Benzene-d6	8.276	84	1068592	23.267	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	93.080%		
36) 1,2-Dichloropropane-d6	9.270	67	348593	23.722	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	94.880%		
41) Toluene-d8	10.325	98	938792	22.923	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	91.680%		
43) trans-1,3-Dichloroprop...	10.575	79	137209	23.035	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	92.120%		
47) 2-Hexanone-d5	10.922	63	138097	55.112	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	110.220%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	291067	25.987	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	103.960%		
66) 1,2-Dichlorobenzene-d4	13.848	152	296390	25.602	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	102.400%		
Target Compounds					Qvalue	
13) Acetone	4.118	43	51752	15.995	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050223\
Data File : VW025803.D
Acq On : 02 May 2023 16:38
Operator : SY/MD
Sample : 02549-15
Misc : 5.38g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
DCCD2

Quant Time: May 03 01:24:08 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 03 01:20:37 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/03/2023
Supervised By :Mahesh Dadoda 05/03/2023





#13

Acetone

Concen: 15.995 ug/L

RT: 4.118 min Scan# 30

Delta R.T. -0.006 min

Lab File: VW025803.D

Acq: 02 May 2023 16:38

Instrument :

MSVOA_W

ClientSampleId :

DCCD2

Tgt Ion: 43 Resp: 5175

Ion Ratio Lower Upper

43 100

58 31.3 0.0 58.2

Manual Integrations

APPROVED

Reviewed By :Semsettin Yesilyurt 05/03/2023

Supervised By :Mahesh Dadoda 05/03/2023

