

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050224\
 Data File : VW028575.D
 Acq On : 02 May 2024 16:33
 Operator : SY/MD
 Sample : P2349-04
 Misc : 5.67g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: May 03 04:10:12 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 03 04:07:09 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	429909	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	367929	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	135777	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	165700	20.297	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.200%
7) Chloroethane-d5	2.899	69	128165	20.503	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.000%
11) 1,1-Dichloroethene-d2	4.021	65	69050	20.245	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.960%
21) 2-Butanone-d5	7.075	46	78160	36.697	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.400%
24) Chloroform-d	7.648	84	281557	20.960	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.840%
26) 1,2-Dichloroethane-d4	8.398	65	212	0.028	ug/L	0.09
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.120%#
32) Benzene-d6	8.276	84	554963	22.607	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.440%
36) 1,2-Dichloropropane-d6	9.270	67	173563	23.497	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.000%
41) Toluene-d8	10.319	98	475302	21.864	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.440%
43) trans-1,3-Dichloroprop...	10.575	79	64517	21.711	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.840%
47) 2-Hexanone-d5	10.922	63	53154	41.721	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.440%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	135400	21.860	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.440%
66) 1,2-Dichlorobenzene-d4	13.849	152	119624	23.116	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.480%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050224\
Data File : VW028575.D
Acq On : 02 May 2024 16:33
Operator : SY/MD
Sample : P2349-04
Misc : 5.67g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: May 03 04:10:12 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 03 04:07:09 2024
Response via : Initial Calibration

