

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050224\
 Data File : VW028579.D
 Acq On : 02 May 2024 18:09
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: May 03 04:11:05 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 03 04:07:09 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	297557	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	276238	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	133324	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	108378	19.181	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.720%
7) Chloroethane-d5	2.899	69	86348	19.958	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.840%
11) 1,1-Dichloroethene-d2	4.027	65	46249	19.591	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	78.360%
21) 2-Butanone-d5	7.075	46	57233	38.824	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.640%
24) Chloroform-d	7.648	84	192878	20.745	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.960%
26) 1,2-Dichloroethane-d4	8.526	65	124	0.023	ug/L	0.22
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.080%#
32) Benzene-d6	8.276	84	390111	21.167	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.680%
36) 1,2-Dichloropropane-d6	9.270	67	119615	21.568	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.280%
41) Toluene-d8	10.318	98	346225	21.213	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.840%
43) trans-1,3-Dichloroprop...	10.575	79	46809	20.981	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.920%
47) 2-Hexanone-d5	10.922	63	39525	41.322	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.640%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	95759	20.591	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	82.360%
66) 1,2-Dichlorobenzene-d4	13.848	152	107375	21.130	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.520%
Target Compounds						
16) Methylene chloride	4.923	84	13964	3.034	ug/L	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050224\
Data File : VW028579.D
Acq On : 02 May 2024 18:09
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: May 03 04:11:05 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 03 04:07:09 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.034 ug/L
RT: 4.923 min Scan# 49
Delta R.T. -0.000 min
Lab File: VW028579.D
Acq: 02 May 2024 18:09

Instrument :
MSVOA_W
ClientSampleId :



Tgt Ion:	84	Resp:	13964
Ion	Ratio	Lower	Upper
84	100		
86	59.1	44.4	82.4
49	141.0	100.2	186.2

