

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050224\
 Data File : VW028576.D
 Acq On : 02 May 2024 16:57
 Operator : SY/MD
 Sample : P2349-03
 Misc : 6.49g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E08Q6

Quant Time: May 03 04:10:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 03 04:07:09 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	472272	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	439877	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	203483	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	150433	16.774	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.080%
7) Chloroethane-d5	2.899	69	119355	17.381	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.520%
11) 1,1-Dichloroethene-d2	4.021	65	65480	17.476	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.920%
21) 2-Butanone-d5	7.069	46	85223	36.424	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.840%
24) Chloroform-d	7.648	84	280217	18.989	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	75.960%
26) 1,2-Dichloroethane-d4	8.301	65	167725	19.853	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	79.400%
32) Benzene-d6	8.276	84	554419	18.891	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	75.560%
36) 1,2-Dichloropropane-d6	9.270	67	171012	19.364	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	77.440%
41) Toluene-d8	10.325	98	504508	19.411	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.640%
43) trans-1,3-Dichloroprop...	10.575	79	71078	20.007	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.040%
47) 2-Hexanone-d5	10.922	63	60322	39.603	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.200%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	138669	18.726	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	74.920%
66) 1,2-Dichlorobenzene-d4	13.848	152	162838	20.996	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.000%
Target Compounds					Qvalue	
13) Acetone	4.124	43	9710	4.562	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050224\
Data File : VW028576.D
Acq On : 02 May 2024 16:57
Operator : SY/MD
Sample : P2349-03
Misc : 6.49g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E08Q6

Quant Time: May 03 04:10:25 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 03 04:07:09 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.562 ug/L
 RT: 4.124 min Scan# 36
 Delta R.T. -0.000 min
 Lab File: VW028576.D
 Acq: 02 May 2024 16:57

Instrument :
 MSVOA_W
 ClientSampleId :
 E08Q6

Tgt Ion: 43 Resp: 9710
 Ion Ratio Lower Upper
 43 100
 58 29.2 0.0 54.4

