

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050322\
 Data File : VW022768.D
 Acq On : 03 May 2022 13:37
 Operator : SY/VA
 Sample : VIBLK444
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK444

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/04/2022
 Supervised By :Mahesh Dadoda 05/04/2022

Quant Time: May 04 01:25:58 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 04 01:21:13 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	298672	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	291555	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	147565	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	121161	19.773	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	79.080%		
7) Chloroethane-d5	2.885	69	91713	23.006	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	92.040%		
11) 1,1-Dichloroethene-d2	4.019	63	118949	15.023	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	60.080%		
21) 2-Butanone-d5	7.080	46	55510	47.645	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	95.300%		
24) Chloroform-d	7.647	84	190855	21.811	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	87.240%		
26) 1,2-Dichloroethane-d4	8.305	65	110777m	23.082	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	92.320%		
32) Benzene-d6	8.275	84	371761	22.122	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	88.480%		
36) 1,2-Dichloropropane-d6	9.274	67	107974	22.873	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	91.480%		
41) Toluene-d8	10.323	98	352092	21.689	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	86.760%		
43) trans-1,3-Dichloroprop...	10.579	79	44655	20.545	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	82.160%		
47) 2-Hexanone-d5	10.920	63	42515	47.179	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	94.360%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	102969	23.403	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	93.600%		
66) 1,2-Dichlorobenzene-d4	13.853	152	121205	23.497	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	94.000%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050322\
Data File : VW022768.D
Acq On : 03 May 2022 13:37
Operator : SY/VA
Sample : VIBLK444
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK444

Quant Time: May 04 01:25:58 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 04 01:21:13 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 05/04/2022
Supervised By : Mahesh Dadoda 05/04/2022

