

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050323\
 Data File : VW025827.D
 Acq On : 03 May 2023 15:20
 Operator : SY/MD
 Sample : VIBLK451
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK451

Quant Time: May 04 01:26:43 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 04 01:22:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	655067	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	593963	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	275672	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	194089	20.909	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	83.640%		
7) Chloroethane-d5	2.899	69	141578	20.572	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	82.280%		
11) 1,1-Dichloroethene-d2	4.021	65	89009	19.149	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	76.600%		
21) 2-Butanone-d5	7.075	46	130757	42.609	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	85.220%		
24) Chloroform-d	7.648	84	363053	19.220	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	76.880%		
26) 1,2-Dichloroethane-d4	8.307	65	218620	20.468	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	81.880%		
32) Benzene-d6	8.276	84	758078	19.533	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	78.120%		
36) 1,2-Dichloropropane-d6	9.276	67	242435	19.523	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	78.080%		
41) Toluene-d8	10.325	98	658383	19.024	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	76.080%		
43) trans-1,3-Dichloroprop...	10.581	79	93092	18.494	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	73.960%		
47) 2-Hexanone-d5	10.922	63	88132	41.622	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	83.240%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	197080	20.823	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	83.280%		
66) 1,2-Dichlorobenzene-d4	13.848	152	204552	20.355	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	81.400%		
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	27820	2.059	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050323\
Data File : VW025827.D
Acq On : 03 May 2023 15:20
Operator : SY/MD
Sample : VIBLK451
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK451

Quant Time: May 04 01:26:43 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 04 01:22:04 2023
Response via : Initial Calibration

