

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050422\
 Data File : VW022807.D
 Acq On : 04 May 2022 17:18
 Operator : SY/VA
 Sample : N2638-09RE
 Misc : 5.14g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL13

Quant Time: May 04 23:38:09 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 04 23:28:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	346785	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	336717	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	157425	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	138477	19.463	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.840%
7) Chloroethane-d5	2.885	69	105293	22.748	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.000%
11) 1,1-Dichloroethene-d2	4.019	63	134030	14.579	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.320%
21) 2-Butanone-d5	7.074	46	76583	56.613	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	113.220%
24) Chloroform-d	7.647	84	225008	22.146	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.600%
26) 1,2-Dichloroethane-d4	8.305	65	136830	24.555	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.240%
32) Benzene-d6	8.275	84	431087	22.212	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.840%
36) 1,2-Dichloropropane-d6	9.275	67	128412	23.554	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.200%
41) Toluene-d8	10.323	98	403988	21.548	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.200%
43) trans-1,3-Dichloroprop...	10.579	79	55007	21.913	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.640%
47) 2-Hexanone-d5	10.921	63	60154	57.799	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	115.600%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	131691	25.916	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	103.680%
66) 1,2-Dichlorobenzene-d4	13.853	152	131422	23.882	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.520%
Target Compounds						Qvalue
39) cis-1,3-Dichloropropene	10.031	75	4894	0.658	ug/L	# 59
46) Tetrachloroethene	10.860	164	38321	9.347	ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050422\
Data File : VW022807.D
Acq On : 04 May 2022 17:18
Operator : SY/VA
Sample : N2638-09RE
Misc : 5.14g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXL13

Quant Time: May 04 23:38:09 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 04 23:28:03 2022
Response via : Initial Calibration





#39

cis-1,3-Dichloropropene

Concen: 0.658 ug/L

RT: 10.031 min Scan# 11

Delta R.T. -0.042 min

Lab File: VW022807.D

Acq: 04 May 2022 17:18

Instrument :

MSVOA_W

ClientSampleId :





EXL13

Tgt Ion: 75 Resp: 4894

Ion Ratio Lower Upper

75 100

77 54.3 22.1 41.1#



#46

Tetrachloroethene

Concen: 9.347 ug/L

RT: 10.860 min Scan# 1469

Delta R.T. 0.000 min

Lab File: VW022807.D

Acq: 04 May 2022 17:18

Tgt Ion:164 Resp: 38321

Ion Ratio Lower Upper

164 100

129 99.0 76.9 142.7

131 96.4 75.1 139.5

166 129.9 96.0 178.2

