

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050422\
 Data File : VW022806.D
 Acq On : 04 May 2022 16:54
 Operator : SY/VA
 Sample : N2638-03
 Misc : 6.29g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXKZ4

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/05/2022
 Supervised By :Mahesh Dadoda 05/09/2022

Quant Time: May 04 23:37:59 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 04 23:28:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	350311	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.627	117	333001	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	156345	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	138056	19.209	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	76.840%		
7) Chloroethane-d5	2.885	69	102730	21.971	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	87.880%		
11) 1,1-Dichloroethene-d2	4.019	63	135223	14.561	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	58.240%		
21) 2-Butanone-d5	7.080	46	60333	44.151	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	88.300%		
24) Chloroform-d	7.646	84	219147	21.353	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	85.400%		
26) 1,2-Dichloroethane-d4	8.305	65	124137m	22.053	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	88.200%		
32) Benzene-d6	8.274	84	421985	21.985	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	87.960%		
36) 1,2-Dichloropropane-d6	9.274	67	125452	23.268	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	93.080%		
41) Toluene-d8	10.323	98	398541	21.495	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	85.960%		
43) trans-1,3-Dichloroprop...	10.579	79	50773	20.452	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	81.800%		
47) 2-Hexanone-d5	10.920	63	46960	45.625	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	91.260%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	112881	22.462	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	89.840%		
66) 1,2-Dichlorobenzene-d4	13.853	152	121868	22.299	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	89.200%		
Target Compounds						Qvalue
46) Tetrachloroethene	10.865	164	7976	1.967	ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050422\
Data File : VW022806.D
Acq On : 04 May 2022 16:54
Operator : SY/VA
Sample : N2638-03
Misc : 6.29g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
EXKZ4

Quant Time: May 04 23:37:59 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 04 23:28:03 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By : Semsettin Yesilyurt 05/05/2022
Supervised By : Mahesh Dadoda 05/09/2022





#46
Tetrachloroethene
Concen: 1.967 ug/L
RT: 10.865 min Scan# 14
Delta R.T. 0.006 min
Lab File: VW022806.D
Acq: 04 May 2022 16:54

Instrument :
MSVOA_W
ClientSampleId :
EXKZ4



Tgt Ion:164 Resp: 7970

Ion	Ratio	Lower	Upper
164	100		
129	126.1	76.9	142.7
131	108.6	75.1	139.5
166	118.3	96.0	178.2

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/05/2022
Supervised By :Mahesh Dadoda 05/09/2022

