

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022832.D
 Acq On : 05 May 2022 11:11
 Operator : SY/VA
 Sample : VW0505SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK496

Quant Time: May 06 01:05:48 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 01:05:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	313398	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	304304	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	148459	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	140725	21.886	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.560%
7) Chloroethane-d5	2.885	69	98045	23.438	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.760%
11) 1,1-Dichloroethene-d2	4.019	63	142179	17.113	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.440%
21) 2-Butanone-d5	7.080	46	57324	46.890	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.780%
24) Chloroform-d	7.647	84	220591	24.025	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.080%
26) 1,2-Dichloroethane-d4	8.305	65	126261	25.072	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.280%
32) Benzene-d6	8.275	84	439419	25.053	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.200%
36) 1,2-Dichloropropane-d6	9.274	67	123994	25.166	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.680%
41) Toluene-d8	10.323	98	408288	24.097	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.400%
43) trans-1,3-Dichloroprop...	10.579	79	51106	22.528	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.120%
47) 2-Hexanone-d5	10.921	63	45079	47.928	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.860%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	110102	23.975	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.920%
66) 1,2-Dichlorobenzene-d4	13.853	152	134119	25.844	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.360%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
Data File : VW022832.D
Acq On : 05 May 2022 11:11
Operator : SY/VA
Sample : VW0505SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK496

Quant Time: May 06 01:05:48 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 06 01:05:05 2022
Response via : Initial Calibration

