

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022858.D
 Acq On : 05 May 2022 22:46
 Operator : SY/VA
 Sample : N2708-15
 Misc : 5.28g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL41

Quant Time: May 06 02:57:07 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 02:14:27 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	343358	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	341826	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	165362	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	135372	19.217	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.880%
7) Chloroethane-d5	2.885	69	102809	22.433	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.720%
11) 1,1-Dichloroethene-d2	4.013	63	125728	13.813	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.240%
21) 2-Butanone-d5	7.080	46	67570	50.449	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.900%
24) Chloroform-d	7.647	84	229372	22.801	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.200%
26) 1,2-Dichloroethane-d4	8.451	65	164	0.030	ug/L	0.15
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.120%#
32) Benzene-d6	8.275	84	433977	22.026	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.120%
36) 1,2-Dichloropropane-d6	9.274	67	132096	23.868	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.480%
41) Toluene-d8	10.323	98	397038	20.861	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.440%
43) trans-1,3-Dichloroprop...	10.579	79	51861	20.351	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.400%
47) 2-Hexanone-d5	10.920	63	56602	53.573	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.140%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	121693	23.591	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.360%
66) 1,2-Dichlorobenzene-d4	13.853	152	136873	23.678	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.720%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
Data File : VW022858.D
Acq On : 05 May 2022 22:46
Operator : SY/VA
Sample : N2708-15
Misc : 5.28g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXL41

Quant Time: May 06 02:57:07 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 06 02:14:27 2022
Response via : Initial Calibration

