

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022861.D
 Acq On : 05 May 2022 23:59
 Operator : SY/VA
 Sample : N2708-18
 Misc : 5.02g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL44

Quant Time: May 06 02:57:39 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 02:14:27 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	357543	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	344517	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	166112	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	121929	16.622	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.480%
7) Chloroethane-d5	2.879	69	89154	18.681	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.720%
11) 1,1-Dichloroethene-d2	4.019	63	110223	11.629	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	46.520%
21) 2-Butanone-d5	7.080	46	64832	46.484	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.960%
24) Chloroform-d	7.647	84	207831	19.840	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	79.360%
26) 1,2-Dichloroethane-d4	8.305	65	123768	21.543	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	86.160%
32) Benzene-d6	8.275	84	387755	19.527	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	78.120%
36) 1,2-Dichloropropane-d6	9.275	67	121132	21.716	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.880%
41) Toluene-d8	10.323	98	354094	18.459	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	73.840%
43) trans-1,3-Dichloroprop...	10.579	79	46615	18.150	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	72.600%
47) 2-Hexanone-d5	10.927	63	52252	49.070	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.140%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	112984	21.731	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.920%
66) 1,2-Dichlorobenzene-d4	13.853	152	119170	20.523	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	82.080%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
Data File : VW022861.D
Acq On : 05 May 2022 23:59
Operator : SY/VA
Sample : N2708-18
Misc : 5.02g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXL44

Quant Time: May 06 02:57:39 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 06 02:14:27 2022
Response via : Initial Calibration

