

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022845.D
 Acq On : 05 May 2022 16:25
 Operator : SY/VA
 Sample : N2708-07
 Misc : 4.54g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL33

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 05/06/2022
 Supervised By : Mahesh Dadoda 05/10/2022

Quant Time: May 06 01:08:20 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 01:05:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	357682	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.627	117	318033	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	117009	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	140115	19.093	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	76.360%		
7) Chloroethane-d5	2.818	69	120339	25.206	ug/L	-0.07
Spiked Amount 25.000	Range 30 - 150		Recovery =	100.840%		
11) 1,1-Dichloroethene-d2	4.001	63	135490	14.289	ug/L	-0.02
Spiked Amount 25.000	Range 45 - 110		Recovery =	57.160%		
21) 2-Butanone-d5	7.080	46	66360	47.561	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	95.120%		
24) Chloroform-d	7.646	84	232954	22.230	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	88.920%		
26) 1,2-Dichloroethane-d4	8.305	65	133752m	23.272	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	93.080%		
32) Benzene-d6	8.268	84	441249	24.071	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	96.280%		
36) 1,2-Dichloropropane-d6	9.268	67	133385	25.904	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	103.600%		
41) Toluene-d8	10.323	98	398283	22.492	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	89.960%		
43) trans-1,3-Dichloroprop...	10.579	79	47646	20.096	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	80.400%		
47) 2-Hexanone-d5	10.920	63	48469	49.308	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	98.620%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	116315	24.235	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	96.920%		
66) 1,2-Dichlorobenzene-d4	13.853	152	97401	23.813	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	95.240%		
Target Compounds					Qvalue	
13) Acetone	4.123	43	225157	215.541	ug/L	99
15) Methyl Acetate	4.665	43	121357	57.827	ug/L	96
16) Methylene chloride	4.915	84	21041	4.020	ug/L	84
22) 2-Butanone	7.177	43	19192	13.137	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
Data File : VW022845.D
Acq On : 05 May 2022 16:25
Operator : SY/VA
Sample : N2708-07
Misc : 4.54g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXL33

Quant Time: May 06 01:08:20 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 06 01:05:05 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/06/2022
Supervised By :Mahesh Dadoda 05/10/2022

