

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022865.D
 Acq On : 06 May 2022 01:35
 Operator : SY/VA
 Sample : N2708-22
 Misc : 6.04g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL49

Manual Integrations
 APPROVED

Reviewed By : Semsettin
 Yesilyurt

Quant Time: May 06 02:58:25 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 02:14:27 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	339746	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	338106	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	152452	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	131417	18.854	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	75.400%		
7) Chloroethane-d5	2.885	69	97318	21.460	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	85.840%		
11) 1,1-Dichloroethene-d2	4.013	63	123562	13.719	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery =	54.880%		
21) 2-Butanone-d5	7.080	46	65446	49.382	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	98.760%		
24) Chloroform-d	7.653	84	221497	22.253	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery =	89.000%		
26) 1,2-Dichloroethane-d4	8.305	65	130954m	23.988	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery =	95.960%		
32) Benzene-d6	8.274	84	421836	21.646	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery =	86.600%		
36) 1,2-Dichloropropane-d6	9.274	67	127342	23.262	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery =	93.040%		
41) Toluene-d8	10.323	98	388262	20.624	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery =	82.480%		
43) trans-1,3-Dichloroprop...	10.579	79	50748	20.133	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery =	80.520%		
47) 2-Hexanone-d5	10.926	63	51616	49.392	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	98.780%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	114431	22.427	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery =	89.720%		
66) 1,2-Dichlorobenzene-d4	13.853	152	126451	23.728	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery =	94.920%		
Target Compounds						
46) Tetrachloroethene	10.865	164	7551	1.834	ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
Data File : VW022865.D
Acq On : 06 May 2022 01:35
Operator : SY/VA
Sample : N2708-22
Misc : 6.04g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXL49

Manual Integrations
APPROVED

Reviewed By : Semsettin
Yesilyurt

Quant Time: May 06 02:58:25 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 06 02:14:27 2022
Response via : Initial Calibration

