




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022863.D
 Acq On : 06 May 2022 00:47
 Operator : SY/VA
 Sample : N2708-20
 Misc : 4.95g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL47

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/06/2022
 Supervised By :Mahesh Dadoda 05/10/2022

Quant Time: May 06 02:58:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 02:14:27 2022
 Response via : Initial Calibration



TIC: VW022863.D\data.ms

(13) Acetone (T)

4.129min (+ 0.006) 4.36 ug/L

response 2103

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.00	16.21
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022863.D
 Acq On : 06 May 2022 00:47
 Operator : SY/VA
 Sample : N2708-20
 Misc : 4.95g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL47

Manual IntegrationsAPPROVED

Quant Time: May 06 02:58:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 02:14:27 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/06/2022
 Supervised By :Mahesh Dadoda 05/10/2022



TIC: VW022863.D\data.ms

(13) Acetone (T)

4.129min (+ 0.006) 5.69 ug/L m

response 2740

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.00	12.45
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
Data File : VW022863.D
Acq On : 06 May 2022 00:47
Operator : SY/VA
Sample : N2708-20
Misc : 4.95g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXL47

Manual IntegrationsAPPROVED

Quant Time: May 06 02:58:02 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 06 02:14:27 2022
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/06/2022
Supervised By :Mahesh Dadoda 05/10/2022



TIC: VW022863.D\data.ms

(15) Methyl Acetate (T)

4.672min (+ 0.000) 1.30 ug/L

response 1263

Ion	Exp%	Act%
43.00	100.00	100.00
74.00	27.40	41.01#
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022863.D
 Acq On : 06 May 2022 00:47
 Operator : SY/VA
 Sample : N2708-20
 Misc : 4.95g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL47

Manual IntegrationsAPPROVED

Quant Time: May 06 02:58:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 02:14:27 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/06/2022
 Supervised By :Mahesh Dadoda 05/10/2022



TIC: VW022863.D\data.ms

(15) Methyl Acetate (T)

4.672min (+ 0.000) 3.83 ug/L m

response 3708

Ion	Exp%	Act%
43.00	100.00	100.00
74.00	27.40	13.97#
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
Data File : VW022863.D
Acq On : 06 May 2022 00:47
Operator : SY/VA
Sample : N2708-20
Misc : 4.95g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXL47

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/06/2022
Supervised By :Mahesh Dadoda 05/10/2022

Quant Time: May 06 02:58:02 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 06 02:14:27 2022
Response via : Initial Calibration



TIC: VW022863.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.439min (+ 0.134) 0.07 ug/L

response 178

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.10	44.38
51.00	92.30	70.22
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022863.D
 Acq On : 06 May 2022 00:47
 Operator : SY/VA
 Sample : N2708-20
 Misc : 4.95g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL47

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/06/2022
 Supervised By :Mahesh Dadoda 05/10/2022

Quant Time: May 06 02:58:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 02:14:27 2022
 Response via : Initial Calibration



TIC: VW022863.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.305min (+ 0.000) 28.90 ug/L m

response 76606

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.10	0.10#
51.00	92.30	0.16#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022863.D
 Acq On : 06 May 2022 00:47
 Operator : SY/VA
 Sample : N2708-20
 Misc : 4.95g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXL47

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/06/2022
 Supervised By :Mahesh Dadoda 05/10/2022

Quant Time: May 06 02:58:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 02:14:27 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	164967	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	140821	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	48383	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	64892	19.173	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	76.680%	
7) Chloroethane-d5	2.885	69	56631	25.719	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	102.880%	
11) 1,1-Dichloroethene-d2	4.013	63	66171	15.131	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	60.520%	
21) 2-Butanone-d5	7.080	46	25371	39.426	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	78.860%	
24) Chloroform-d	7.653	84	127162	26.310	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	105.240%	
26) 1,2-Dichloroethane-d4	8.305	65	76606m	28.899	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	115.600%	
32) Benzene-d6	8.275	84	215932	26.603	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	106.400%	
36) 1,2-Dichloropropane-d6	9.275	67	75646	33.177	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	132.720%#	
41) Toluene-d8	10.323	98	184376	23.515	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	94.040%	
43) trans-1,3-Dichloroprop...	10.579	79	19972	19.024	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	76.080%	
47) 2-Hexanone-d5	10.927	63	17582	40.395	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	80.780%	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	67102	31.575	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	126.320%#	
66) 1,2-Dichlorobenzene-d4	13.853	152	43443	25.686	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	102.760%	
Target Compounds						
13) Acetone	4.129	43	2740m	5.687	ug/L	
15) Methyl Acetate	4.672	43	3708m	3.831	ug/L	
16) Methylene chloride	4.909	84	9721	4.027	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
Data File : VW022863.D
Acq On : 06 May 2022 00:47
Operator : SY/VA
Sample : N2708-20
Misc : 4.95g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXL47

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/06/2022
Supervised By :Mahesh Dadoda 05/10/2022

Quant Time: May 06 02:58:02 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 06 02:14:27 2022
Response via : Initial Calibration

