

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
 Data File : VW022837.D
 Acq On : 05 May 2022 13:12
 Operator : SY/VA
 Sample : N2699-08RE
 Misc : 4.07g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGBR1RE

Quant Time: May 06 01:06:47 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 06 01:05:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	324718	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	273384	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	87485	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	148666	22.315	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.280%
7) Chloroethane-d5	2.886	69	108954	25.138	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.560%
11) 1,1-Dichloroethene-d2	4.019	63	140620	16.336	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.360%
21) 2-Butanone-d5	7.080	46	37642	29.717	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	59.440%
24) Chloroform-d	7.653	84	231990	24.385	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.560%
26) 1,2-Dichloroethane-d4	8.305	65	126168	24.180	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.720%
32) Benzene-d6	8.275	84	428205	27.174	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	108.680%
36) 1,2-Dichloropropane-d6	9.275	67	127417	28.786	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	115.160%
41) Toluene-d8	10.323	98	363745	23.896	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	95.600%
43) trans-1,3-Dichloroprop...	10.579	79	36309	17.815	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	71.280%
47) 2-Hexanone-d5	10.921	63	28424	33.638	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	67.280%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	95917	23.249	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.000%
66) 1,2-Dichlorobenzene-d4	13.853	152	73297	23.968	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.880%
Target Compounds					Qvalue	
13) Acetone	4.123	43	4985	5.257	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050522\
Data File : VW022837.D
Acq On : 05 May 2022 13:12
Operator : SY/VA
Sample : N2699-08RE
Misc : 4.07g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGBR1RE

Quant Time: May 06 01:06:47 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 06 01:05:05 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.257 ug/L
 RT: 4.123 min Scan# 30
 Delta R.T. -0.006 min
 Lab File: VW022837.D
 Acq: 05 May 2022 13:12

Instrument :
 MSVOA_W
 ClientSampleId :
 BGBR1RE

Tgt Ion:	43	Resp:	4985
Ion	Ratio	Lower	Upper
43	100		
58	31.0	0.0	64.0

