

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050622\
 Data File : VW022878.D
 Acq On : 06 May 2022 10:27
 Operator : SY/VA
 Sample : N2639-20
 Misc : 5.06g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/07/2022
 Supervised By :Mahesh Dadoda 05/10/2022

Quant Time: May 07 00:03:31 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat May 07 00:02:41 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	298130	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	287535	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	142158	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	125732	20.556	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.240%
7) Chloroethane-d5	2.885	69	91714	23.048	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.200%
11) 1,1-Dichloroethene-d2	4.019	63	126246	15.974	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.880%
21) 2-Butanone-d5	7.080	46	52616	45.243	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.480%
24) Chloroform-d	7.647	84	199480	22.838	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.360%
26) 1,2-Dichloroethane-d4	8.305	65	110933m	23.157	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.640%
32) Benzene-d6	8.275	84	389614	23.508	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.040%
36) 1,2-Dichloropropane-d6	9.275	67	112038	24.066	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.280%
41) Toluene-d8	10.323	98	367895	22.979	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.920%
43) trans-1,3-Dichloroprop...	10.579	79	44645	20.827	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.320%
47) 2-Hexanone-d5	10.927	63	38454	43.269	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.540%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	96652	22.274	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.080%
66) 1,2-Dichlorobenzene-d4	13.853	152	116951	23.534	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.120%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050622\
Data File : VW022878.D
Acq On : 06 May 2022 10:27
Operator : SY/VA
Sample : N2639-20
Misc : 5.06g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Quant Time: May 07 00:03:31 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Sat May 07 00:02:41 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/07/2022
Supervised By :Mahesh Dadoda 05/10/2022

