

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050922\
 Data File : VW022921.D
 Acq On : 09 May 2022 11:40
 Operator : SY/VA
 Sample : N2603-14
 Misc : 5.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Quant Time: May 09 22:56:24 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon May 09 22:55:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	335146	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	319625	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	159368	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	127185	18.497	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.000%
7) Chloroethane-d5	2.885	69	93464	20.893	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.560%
11) 1,1-Dichloroethene-d2	4.013	63	144910	16.310	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.240%
21) 2-Butanone-d5	6.921	46	144	0.110	ug/L	-0.15
Spiked Amount	50.000	Range	20 - 135	Recovery	=	0.220%#
24) Chloroform-d	7.647	84	226812	23.099	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.400%
26) 1,2-Dichloroethane-d4	8.403	65	387	0.072	ug/L	0.10
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.280%#
32) Benzene-d6	8.268	84	435372	23.632	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.520%
36) 1,2-Dichloropropane-d6	9.268	67	124639	24.085	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.320%
41) Toluene-d8	10.323	98	409079	22.986	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.960%
43) trans-1,3-Dichloroprop...	10.579	79	50819	21.327	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.320%
47) 2-Hexanone-d5	10.920	63	43815	44.351	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.700%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	108434	22.480	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.920%
66) 1,2-Dichlorobenzene-d4	13.853	152	135169	24.263	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.040%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW050922\
Data File : VW022921.D
Acq On : 09 May 2022 11:40
Operator : SY/VA
Sample : N2603-14
Misc : 5.01g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Quant Time: May 09 22:56:24 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Mon May 09 22:55:00 2022
Response via : Initial Calibration

