

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051023\
 Data File : VW025920.D
 Acq On : 10 May 2023 11:03
 Operator : SY/MD
 Sample : 02612-38
 Misc : 3.72g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JREJ2

Quant Time: May 11 02:11:28 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 05 23:47:36 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	878950	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	726000	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	262694	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	236802	19.012	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.040%
7) Chloroethane-d5	2.893	69	178053	19.282	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.120%
11) 1,1-Dichloroethene-d2	4.021	65	125880	20.183	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.720%
21) 2-Butanone-d5	7.075	46	157392	38.224	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	76.440%
24) Chloroform-d	7.648	84	525000	20.714	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.840%
26) 1,2-Dichloroethane-d4	8.447	65	221	0.015	ug/L	0.14
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.080%#
32) Benzene-d6	8.276	84	1084913	22.870	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.480%
36) 1,2-Dichloropropane-d6	9.270	67	351423	23.153	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.600%
41) Toluene-d8	10.325	98	931400	22.018	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.080%
43) trans-1,3-Dichloroprop...	10.575	79	120321	19.557	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	78.240%
47) 2-Hexanone-d5	10.922	63	105131	40.620	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.240%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	230467	19.922	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.680%
66) 1,2-Dichlorobenzene-d4	13.855	152	213626	22.308	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	89.240%
Target Compounds					Qvalue	
13) Acetone	4.119	43	35662	9.768	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051023\
Data File : VW025920.D
Acq On : 10 May 2023 11:03
Operator : SY/MD
Sample : 02612-38
Misc : 3.72g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JREJ2

Quant Time: May 11 02:11:28 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 05 23:47:36 2023
Response via : Initial Calibration





#13
Acetone
Concen: 9.768 ug/L
RT: 4.119 min Scan# 30
Delta R.T. -0.012 min
Lab File: VW025920.D
Acq: 10 May 2023 11:03

Instrument :
MSVOA_W
ClientSampleId :
JREJ2

Tgt Ion: 43 Resp: 35662
Ion Ratio Lower Upper
43 100
58 28.3 0.0 58.2

