

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051023\
 Data File : VW025922.D
 Acq On : 10 May 2023 12:06
 Operator : SY/MD
 Sample : 02664-09
 Misc : 4.10g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JREA4

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 05/11/2023
 Supervised By :Mahesh Dadoda 05/11/2023

Quant Time: May 11 02:11:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 05 23:47:36 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	872463	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	694349	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	194047	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	231093	18.692	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.760%		
7) Chloroethane-d5	2.893	69	174839	19.075	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	76.320%		
11) 1,1-Dichloroethene-d2	4.021	65	112642	18.195	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	72.800%		
21) 2-Butanone-d5	7.075	46	155140	37.958	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	75.920%		
24) Chloroform-d	7.648	84	483387	19.214	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	76.840%		
26) 1,2-Dichloroethane-d4	8.307	65	272524m	19.157	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	76.640%		
32) Benzene-d6	8.276	84	973085	21.448	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	85.800%		
36) 1,2-Dichloropropane-d6	9.276	67	317202	21.851	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	87.400%		
41) Toluene-d8	10.324	98	803759	19.867	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	79.480%		
43) trans-1,3-Dichloroprop...	10.574	79	114614	19.478	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	77.920%		
47) 2-Hexanone-d5	10.922	63	100300	40.520	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	81.040%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	201045	18.171	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	72.680%		
66) 1,2-Dichlorobenzene-d4	13.854	152	137534	19.443	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	77.760%		
Target Compounds					Qvalue	
13) Acetone	4.124	43	16698	4.607	ug/L	100
16) Methylene chloride	4.917	84	35985	2.000	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051023\
Data File : VW025922.D
Acq On : 10 May 2023 12:06
Operator : SY/MD
Sample : 02664-09
Misc : 4.10g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
JREA4

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 05/11/2023
Supervised By :Mahesh Dadoda 05/11/2023


Quant Time: May 11 02:11:41 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 05 23:47:36 2023
Response via : Initial Calibration





#13
Acetone
Concen: 4.607 ug/L
RT: 4.124 min Scan# 367
Delta R.T. -0.006 min
Lab File: VW025922.D
Acq: 10 May 2023 12:06




Instrument :
MSVOA_W
ClientSampleId :
JREA4




Tgt Ion: 43 Resp: 16698
Ion Ratio Lower Upper
43 100
58 28.9 0.0 58.2

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 05/11/2023
Supervised By :Mahesh Dadoda 05/11/2023



#16
Methylene chloride
Concen: 2.000 ug/L
RT: 4.917 min Scan# 497
Delta R.T. 0.006 min
Lab File: VW025922.D
Acq: 10 May 2023 12:06



Tgt Ion: 84 Resp: 35985
Ion Ratio Lower Upper
84 100
86 59.5 41.7 77.5
49 148.2 95.3 177.1

