




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051222\
 Data File : VW023003.D
 Acq On : 12 May 2022 15:53
 Operator : SY/VA
 Sample : N2766-21
 Misc : 5.19g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW4H1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/15/2022
 Supervised By :Mahesh Dadoda 05/16/2022

Quant Time: May 13 01:13:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 13 01:10:05 2022
 Response via : Initial Calibration



TIC: VW023003.D\data.ms

(24) Chloroform-d (S)

7.659min (+ 0.012) 0.73 ug/L

response 6604

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	61.90	85.05#
47.00	43.20	710.34#
49.00	26.40	246.62#




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051222\
 Data File : VW023003.D
 Acq On : 12 May 2022 15:53
 Operator : SY/VA
 Sample : N2766-21
 Misc : 5.19g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW4H1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/15/2022
 Supervised By :Mahesh Dadoda 05/16/2022

Quant Time: May 13 01:13:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 13 01:10:05 2022
 Response via : Initial Calibration



TIC: VW023003.D\data.ms

(24) Chloroform-d (S)

7.671min (+ 0.024) 1.38 ug/L m

response 12463

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	61.90	45.07
47.00	43.20	376.40#
49.00	26.40	130.68#




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051222\
Data File : VW023003.D
Acq On : 12 May 2022 15:53
Operator : SY/VA
Sample : N2766-21
Misc : 5.19g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW4H1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/15/2022
Supervised By :Mahesh Dadoda 05/16/2022

Quant Time: May 13 01:13:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 13 01:10:05 2022
Response via : Initial Calibration



TIC: VW023003.D\data.ms

(47) 2-Hexanone-d5 (S)

10.805min (-0.116) 0.08 ug/L

response 67

Ion	Exp%	Act%
63.00	100.00	100.00
46.00	166.00	183.58
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051222\
 Data File : VW023003.D
 Acq On : 12 May 2022 15:53
 Operator : SY/VA
 Sample : N2766-21
 Misc : 5.19g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW4H1

Manual IntegrationsAPPROVED

Quant Time: May 13 01:13:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 13 01:10:05 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/15/2022
 Supervised By :Mahesh Dadoda 05/16/2022



TIC: VW023003.D\data.ms

(47) 2-Hexanone-d5 (S)

10.921min (+ 0.000) 21.26 ug/L m

response 17947

Ion	Exp%	Act%
63.00	100.00	100.00
46.00	166.00	0.69#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051222\
 Data File : VW023003.D
 Acq On : 12 May 2022 15:53
 Operator : SY/VA
 Sample : N2766-21
 Misc : 5.19g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW4H1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/15/2022
 Supervised By :Mahesh Dadoda 05/16/2022

Quant Time: May 13 01:13:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 13 01:10:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	307209	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	273125	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	109766	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	101679	16.132	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	64.520%	
7) Chloroethane-d5	2.885	69	85204	20.779	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	83.120%	
11) 1,1-Dichloroethene-d2	4.013	63	99515	12.219	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	48.880%	
21) 2-Butanone-d5	7.086	46	31359	26.168	ug/L	0.01
Spiked Amount 50.000	Range 20	- 135	Recovery	=	52.340%	
24) Chloroform-d	7.671	84	12463m	1.385	ug/L	0.02
Spiked Amount 25.000	Range 40	- 150	Recovery	=	5.520%#	
26) 1,2-Dichloroethane-d4	8.305	65	108635	22.007	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	88.040%	
32) Benzene-d6	8.275	84	358419	22.767	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	91.080%	
36) 1,2-Dichloropropane-d6	9.274	67	111783	25.278	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	101.120%	
41) Toluene-d8	10.323	98	319068	20.981	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	83.920%	
43) trans-1,3-Dichloroprop...	10.579	79	39102	19.204	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	76.800%	
47) 2-Hexanone-d5	10.921	63	17947m	21.260	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	42.520%	
56) 1,1,2,2-Tetrachloroeth...	0.000	84	0d	0.000	ug/L	
Spiked Amount 25.000	Range 45	- 120	Recovery	=	0.000%#	
66) 1,2-Dichlorobenzene-d4	13.853	152	89429	23.307	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	93.240%	
Target Compounds						
					Qvalue	
13) Acetone	4.123	43	5459	6.084	ug/L	81
14) Carbon disulfide	4.385	76	238283	22.089	ug/L	99
25) Chloroform	7.677	83	186458	22.470	ug/L	99
34) Trichloroethene	9.092	95	53218	12.027	ug/L	98
35) Methylcyclohexane	9.335	83	3751	0.516	ug/L #	77
42) Toluene	10.384	91	31821	1.765	ug/L	98
53) m,p-Xylene	11.835	106	4810	0.609	ug/L	91
62) 1,3,5-Trimethylbenzene	12.945	105	5085	0.608	ug/L	97
63) 1,2,4-Trimethylbenzene	13.249	105	6143	0.489	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051222\
Data File : VW023003.D
Acq On : 12 May 2022 15:53
Operator : SY/VA
Sample : N2766-21
Misc : 5.19g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW4H1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/15/2022
Supervised By :Mahesh Dadoda 05/16/2022

Quant Time: May 13 01:13:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 13 01:10:05 2022
Response via : Initial Calibration

