

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051223\
 Data File : VW025964.D
 Acq On : 12 May 2023 15:24
 Operator : SY/MD
 Sample : 02767-01
 Misc : 6.62g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C11E9

Quant Time: May 14 22:49:31 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sun May 14 22:48:01 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	953344	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	852424	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	380025	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	221973	16.431	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.720%
7) Chloroethane-d5	2.893	69	182488	18.220	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.880%
11) 1,1-Dichloroethene-d2	4.021	65	111407	16.469	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.880%
21) 2-Butanone-d5	7.075	46	174168	38.998	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.000%
24) Chloroform-d	7.648	84	527736	19.198	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	76.800%
26) 1,2-Dichloroethane-d4	8.301	65	303340	19.514	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	78.040%
32) Benzene-d6	8.270	84	1058778	19.009	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	76.040%
36) 1,2-Dichloropropane-d6	9.276	67	348184	19.538	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	78.160%
41) Toluene-d8	10.318	98	909529	18.312	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	73.240%
43) trans-1,3-Dichloroprop...	10.575	79	131116	18.150	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	72.600%
47) 2-Hexanone-d5	10.922	63	122263	40.233	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.460%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	274930	20.241	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	80.960%
66) 1,2-Dichlorobenzene-d4	13.848	152	282888	20.420	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	81.680%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051223\
Data File : VW025964.D
Acq On : 12 May 2023 15:24
Operator : SY/MD
Sample : 02767-01
Misc : 6.62g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C11E9

Quant Time: May 14 22:49:31 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Sun May 14 22:48:01 2023
Response via : Initial Calibration

