

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051322\
 Data File : VW023017.D
 Acq On : 13 May 2022 11:08
 Operator : SY/VA
 Sample : N2714-12
 Misc : 5.02g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/15/2022
 Supervised By :Mahesh Dadoda 05/16/2022

Quant Time: May 13 23:58:57 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 13 23:57:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	348714	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	338871	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	168639	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	174682	24.416	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.680%
7) Chloroethane-d5	2.886	69	117245	25.190	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.760%
11) 1,1-Dichloroethene-d2	4.013	63	170644	18.459	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.840%
21) 2-Butanone-d5	7.080	46	62888	46.232	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.460%
24) Chloroform-d	7.647	84	252330	24.698	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.800%
26) 1,2-Dichloroethane-d4	8.305	65	143710m	25.647	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.600%
32) Benzene-d6	8.275	84	514548	26.343	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.360%
36) 1,2-Dichloropropane-d6	9.275	67	146171	26.641	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	106.560%
41) Toluene-d8	10.323	98	504740	26.751	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	107.000%
43) trans-1,3-Dichloroprop...	10.579	79	62739	24.834	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	99.320%
47) 2-Hexanone-d5	10.921	63	49672	47.424	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.840%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	121991	23.855	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.400%
66) 1,2-Dichlorobenzene-d4	13.853	152	161263	27.356	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	109.440%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051322\
Data File : VW023017.D
Acq On : 13 May 2022 11:08
Operator : SY/VA
Sample : N2714-12
Misc : 5.02g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Quant Time: May 13 23:58:57 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 13 23:57:51 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 05/15/2022
Supervised By : Mahesh Dadoda 05/16/2022

