

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051322\
 Data File : VW023026.D
 Acq On : 13 May 2022 14:45
 Operator : SY/VA
 Sample : N2821-07
 Misc : 5.04g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXLC7

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 05/15/2022
 Supervised By : Mahesh Dadoda 05/16/2022

Quant Time: May 14 00:00:43 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 13 23:57:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	417733	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	370023	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	142938	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	216151	25.221	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.880%
7) Chloroethane-d5	2.885	69	166634	29.886	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	119.560%
11) 1,1-Dichloroethene-d2	4.013	63	198470	17.922	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.680%
21) 2-Butanone-d5	7.080	46	36783	22.573	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	45.140%
24) Chloroform-d	7.647	84	313409	25.608	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.440%
26) 1,2-Dichloroethane-d4	8.305	65	182734m	27.223	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	108.880%
32) Benzene-d6	8.275	84	613048	28.744	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	114.960%
36) 1,2-Dichloropropane-d6	9.274	67	180403	30.112	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	120.440%#
41) Toluene-d8	10.323	98	555332	26.954	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	107.800%
43) trans-1,3-Dichloroprop...	10.573	79	61116	22.155	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.640%
47) 2-Hexanone-d5	10.921	63	32066	28.037	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	56.080%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	151674	27.162	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	108.640%
66) 1,2-Dichlorobenzene-d4	13.853	152	136330	27.284	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	109.120%
Target Compounds					Qvalue	
13) Acetone	4.123	43	4011	3.288	ug/L	59

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051322\
Data File : VW023026.D
Acq On : 13 May 2022 14:45
Operator : SY/VA
Sample : N2821-07
Misc : 5.04g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXLC7

Quant Time: May 14 00:00:43 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 13 23:57:51 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 05/15/2022
Supervised By : Mahesh Dadoda 05/16/2022

