




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051322\
 Data File : VW023030.D
 Acq On : 13 May 2022 16:22
 Operator : SY/VA
 Sample : N2821-11
 Misc : 6.68g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXLD1

Manual IntegrationsAPPROVED

Quant Time: May 14 00:01:34 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 13 23:57:51 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/15/2022
 Supervised By :Mahesh Dadoda 05/16/2022



TIC: VW023030.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.190min (+ 0.171) 0.03 ug/L

response 240

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	72.80	69.17
65.00	23.30	28.33
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051322\
 Data File : VW023030.D
 Acq On : 13 May 2022 16:22
 Operator : SY/VA
 Sample : N2821-11
 Misc : 6.68g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXLD1

Manual IntegrationsAPPROVED

Quant Time: May 14 00:01:34 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 13 23:57:51 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 05/15/2022
 Supervised By :Mahesh Dadoda 05/16/2022



TIC: VW023030.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.013min (-0.006) 17.73 ug/L m

response 165996

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	72.80	0.10#
65.00	23.30	0.04#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051322\
 Data File : VW023030.D
 Acq On : 13 May 2022 16:22
 Operator : SY/VA
 Sample : N2821-11
 Misc : 6.68g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXLD1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/15/2022
 Supervised By :Mahesh Dadoda 05/16/2022

Quant Time: May 14 00:01:34 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 13 23:57:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	353075	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	287005	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	96428	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	196702	27.154	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	108.600%	
7) Chloroethane-d5	2.885	69	141160	29.953	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	119.800%	
11) 1,1-Dichloroethene-d2	4.013	63	165996m	17.735	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	70.920%	
21) 2-Butanone-d5	7.080	46	34151	24.796	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	49.600%	
24) Chloroform-d	7.653	84	283514	27.408	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	109.640%	
26) 1,2-Dichloroethane-d4	8.305	65	168275	29.660	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	118.640%	
32) Benzene-d6	8.275	84	521731	31.538	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	126.160%	
36) 1,2-Dichloropropane-d6	9.274	67	164083	35.310	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	141.240%#	
41) Toluene-d8	10.323	98	429569	26.881	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	107.520%	
43) trans-1,3-Dichloroprop...	10.579	79	48294	22.571	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	90.280%	
47) 2-Hexanone-d5	10.927	63	24756	27.907	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	55.820%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	137332	31.707	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	126.840%#	
66) 1,2-Dichlorobenzene-d4	13.853	152	99572	29.540	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	118.160%	
Target Compounds					Qvalue	
46) Tetrachloroethene	10.866	164	6224	1.781	ug/L #	71

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051322\
Data File : VW023030.D
Acq On : 13 May 2022 16:22
Operator : SY/VA
Sample : N2821-11
Misc : 6.68g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXLD1

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 05/15/2022
Supervised By :Mahesh Dadoda 05/16/2022

Quant Time: May 14 00:01:34 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 13 23:57:51 2022
Response via : Initial Calibration

