

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051524\
 Data File : VW028602.D
 Acq On : 15 May 2024 13:08
 Operator : SY/MD
 Sample : P2484-03
 Misc : 5.35g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH9S2

Quant Time: May 16 02:16:18 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 16 02:15:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	121989	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	119520	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	51357	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	46669	20.146	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.600%
7) Chloroethane-d5	2.899	69	38454	21.680	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.720%
11) 1,1-Dichloroethene-d2	4.021	65	19781	20.439	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	81.760%
21) 2-Butanone-d5	7.088	46	20222	33.460	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	66.920%
24) Chloroform-d	7.655	84	86496	22.692	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.760%
26) 1,2-Dichloroethane-d4	8.307	65	51316	23.515	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.080%
32) Benzene-d6	8.276	84	165347	20.735	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.960%
36) 1,2-Dichloropropane-d6	9.276	67	52335	21.810	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.240%
41) Toluene-d8	10.325	98	141495	20.037	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.160%
43) trans-1,3-Dichloroprop...	10.575	79	19975	20.693	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.760%
47) 2-Hexanone-d5	10.922	63	13001	31.414	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	62.820%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	38851	19.309	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	77.240%
66) 1,2-Dichlorobenzene-d4	13.849	152	43406	22.175	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.680%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051524\
Data File : VW028602.D
Acq On : 15 May 2024 13:08
Operator : SY/MD
Sample : P2484-03
Misc : 5.35g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH9S2

Quant Time: May 16 02:16:18 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 16 02:15:20 2024
Response via : Initial Calibration

