

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051624\
 Data File : VW028616.D
 Acq On : 16 May 2024 10:25
 Operator : SY/MD
 Sample : VW0516SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: May 17 01:01:57 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 17 01:01:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	273262	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	255901	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	118035	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	92254	17.779	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.120%
7) Chloroethane-d5	2.905	69	78339	19.717	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.880%
11) 1,1-Dichloroethene-d2	4.027	65	41196	19.002	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	76.000%
21) 2-Butanone-d5	7.081	46	49695	36.708	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.420%
24) Chloroform-d	7.648	84	183684	21.512	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	86.040%
26) 1,2-Dichloroethane-d4	8.185	65	48	0.010	ug/L	-0.12
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.276	84	354000	20.734	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.920%
36) 1,2-Dichloropropane-d6	9.276	67	109413	21.296	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	85.200%
41) Toluene-d8	10.325	98	310521	20.537	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.160%
43) trans-1,3-Dichloroprop...	10.581	79	41579	20.118	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.480%
47) 2-Hexanone-d5	10.922	63	32829	37.049	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.100%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	86318	20.036	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	80.160%
66) 1,2-Dichlorobenzene-d4	13.848	152	100104	22.251	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	89.000%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051624\
Data File : VW028616.D
Acq On : 16 May 2024 10:25
Operator : SY/MD
Sample : VW0516SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: May 17 01:01:57 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 17 01:01:12 2024
Response via : Initial Calibration

