

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051722\
 Data File : VW023093.D
 Acq On : 17 May 2022 12:12
 Operator : SY/VA
 Sample : N2843-07RE
 Misc : 5.86g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW4H7RE

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/18/2022
 Supervised By :Mahesh Dadoda 05/26/2022

Quant Time: May 18 01:28:08 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 18 01:26:16 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	258095	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.627	117	200973	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	62740	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.348	65	87753	16.572	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	66.280%		
7) Chloroethane-d5	2.885	69	70096	20.347	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	81.400%		
11) 1,1-Dichloroethene-d2	4.013	63	86182m	12.596	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	50.400%		
21) 2-Butanone-d5	7.091	46	40828	40.553	ug/L	0.01
Spiked Amount 50.000	Range 20 - 135		Recovery =	81.100%		
24) Chloroform-d	7.652	84	167512	22.153	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	88.600%		
26) 1,2-Dichloroethane-d4	8.305	65	92562m	22.319	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	89.280%		
32) Benzene-d6	8.274	84	290822	25.106	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	100.440%		
36) 1,2-Dichloropropane-d6	9.274	67	93292	28.670	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	114.680%		
41) Toluene-d8	10.323	98	241199	21.555	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	86.200%		
43) trans-1,3-Dichloroprop...	10.579	79	28981	19.343	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	77.360%		
47) 2-Hexanone-d5	10.926	63	35334	56.882	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	113.760%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	82676	27.260	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	109.040%		
66) 1,2-Dichlorobenzene-d4	13.852	152	51893	23.661	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	94.640%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051722\
Data File : VW023093.D
Acq On : 17 May 2022 12:12
Operator : SY/VA
Sample : N2843-07RE
Misc : 5.86g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW4H7RE

Quant Time: May 18 01:28:08 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 18 01:26:16 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/18/2022
Supervised By :Mahesh Dadoda 05/26/2022

