

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051722\
 Data File : VW023094.D
 Acq On : 17 May 2022 12:36
 Operator : SY/VA
 Sample : N2843-19
 Misc : 5.90g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW4J9

Quant Time: May 18 01:28:18 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 18 01:26:16 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	325665	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	298580	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	121461	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	100306	15.013	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.040%
7) Chloroethane-d5	2.885	69	82770	19.041	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.160%
11) 1,1-Dichloroethene-d2	4.019	63	110496	12.799	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	51.200%
21) 2-Butanone-d5	7.080	46	51735	40.725	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.440%
24) Chloroform-d	7.647	84	211907	22.210	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.840%
26) 1,2-Dichloroethane-d4	8.305	65	123976	23.691	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.760%
32) Benzene-d6	8.275	84	380824	22.128	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.520%
36) 1,2-Dichloropropane-d6	9.275	67	122219	25.282	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.120%
41) Toluene-d8	10.323	98	342113	20.578	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.320%
43) trans-1,3-Dichloroprop...	10.579	79	41314	18.560	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.240%
47) 2-Hexanone-d5	10.921	63	44233	47.930	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.860%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	118064	26.202	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	104.800%
66) 1,2-Dichlorobenzene-d4	13.853	152	95350	22.457	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	89.840%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051722\
Data File : VW023094.D
Acq On : 17 May 2022 12:36
Operator : SY/VA
Sample : N2843-19
Misc : 5.90g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW4J9

Quant Time: May 18 01:28:18 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 18 01:26:16 2022
Response via : Initial Calibration

