

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051724\
 Data File : VW028645.D
 Acq On : 17 May 2024 17:32
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: May 17 23:08:05 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 17 23:04:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	252579	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	239512	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	109398	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	82319	17.163	ug/L	-0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.640%
7) Chloroethane-d5	2.905	69	71864	19.568	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.280%
11) 1,1-Dichloroethene-d2	4.027	65	37397	18.662	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	74.640%
21) 2-Butanone-d5	7.081	46	57366	45.844	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.680%
24) Chloroform-d	7.752	84	159	0.020	ug/L	0.10
Spiked Amount	25.000	Range	40 - 150	Recovery	=	0.080%#
26) 1,2-Dichloroethane-d4	8.307	65	105890	23.435	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.760%
32) Benzene-d6	8.276	84	336252	21.042	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.160%
36) 1,2-Dichloropropane-d6	9.276	67	106445	22.136	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.560%
41) Toluene-d8	10.325	98	288630	20.396	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.600%
43) trans-1,3-Dichloroprop...	10.581	79	40847	21.116	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.480%
47) 2-Hexanone-d5	10.922	63	37969	45.781	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.560%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	89142	22.108	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.440%
66) 1,2-Dichlorobenzene-d4	13.855	152	96602	23.168	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.680%
Target Compounds						
16) Methylene chloride	4.923	84	11977	3.066	ug/L	Qvalue 86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051724\
Data File : VW028645.D
Acq On : 17 May 2024 17:32
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: May 17 23:08:05 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 17 23:04:23 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.066 ug/L
RT: 4.923 min Scan# 49
Delta R.T. -0.000 min
Lab File: VW028645.D
Acq: 17 May 2024 17:32

Instrument :
MSVOA_W
ClientSampleId :



Tgt Ion: 84 Resp: 11977

Ion	Ratio	Lower	Upper
84	100		
86	53.2	44.4	82.4
49	124.8	100.2	186.2

