

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051724\
 Data File : VW028639.D
 Acq On : 17 May 2024 15:09
 Operator : SY/MD
 Sample : P2484-21
 Misc : 5.40g/10mL/MSVOA_W/SOIL/VIAL A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH9Q0

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/20/2024
 Supervised By :Mahesh Dadoda 05/20/2024

Quant Time: May 17 23:06:47 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 17 23:04:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	232829	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	216287	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	88774	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	85031	19.232	ug/L	-0.01
Spiked Amount 25.000	Range 30 - 150		Recovery =	76.920%		
7) Chloroethane-d5	2.905	69	73525	21.719	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	86.880%		
11) 1,1-Dichloroethene-d2	4.027	65	37736	20.429	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	81.720%		
21) 2-Butanone-d5	7.075	46	59759	51.807	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	103.620%		
24) Chloroform-d	7.654	84	177946	24.459	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	97.840%		
26) 1,2-Dichloroethane-d4	8.307	65	110191m	26.456	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	105.840%		
32) Benzene-d6	8.276	84	340251	23.579	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	94.320%		
36) 1,2-Dichloropropane-d6	9.276	67	108513	24.990	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	99.960%		
41) Toluene-d8	10.325	98	294117	23.015	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	92.080%		
43) trans-1,3-Dichloroprop...	10.575	79	40697	23.297	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	93.200%		
47) 2-Hexanone-d5	10.922	63	39684	52.987	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	105.980%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	94152	25.858	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	103.440%		
66) 1,2-Dichlorobenzene-d4	13.848	152	89388	26.418	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	105.680%		
Target Compounds					Qvalue	
13) Acetone	4.137	43	5080m	4.841	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051724\
Data File : VW028639.D
Acq On : 17 May 2024 15:09
Operator : SY/MD
Sample : P2484-21
Misc : 5.40g/10mL/MSVOA_W/SOIL/VIAL A
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BH9Q0

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/20/2024
Supervised By :Mahesh Dadoda 05/20/2024


Quant Time: May 17 23:06:47 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 17 23:04:23 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.841 ug/L m
 RT: 4.137 min Scan# 30
 Delta R.T. 0.006 min
 Lab File: VW028639.D
 Acq: 17 May 2024 15:09

Instrument :
 MSVOA_W
 ClientSampleId :
 BH9Q0



Tgt Ion: 43 Resp: 5080
 Ion Ratio Lower Upper
 43 100
 58 28.9 0.0 54.4

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/20/2024
 Supervised By :Mahesh Dadoda 05/20/2024

