

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051822\
 Data File : VW023149.D
 Acq On : 18 May 2022 23:17
 Operator : SY/VA
 Sample : N2848-08
 Misc : 5.20g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: May 19 04:55:21 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 19 04:23:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	292122	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	264858	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	112917	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	80907	13.500	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	54.000%
7) Chloroethane-d5	2.885	69	66432	17.038	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.160%
11) 1,1-Dichloroethene-d2	4.019	63	86501	11.170	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	44.680%#
21) 2-Butanone-d5	7.086	46	51059	44.807	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.620%
24) Chloroform-d	7.653	84	185046	21.621	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	86.480%
26) 1,2-Dichloroethane-d4	8.506	65	130	0.028	ug/L	0.20
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.120%#
32) Benzene-d6	8.274	84	330874	21.674	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.680%
36) 1,2-Dichloropropane-d6	9.274	67	104528	24.375	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.480%
41) Toluene-d8	10.323	98	291776	19.785	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	79.160%
43) trans-1,3-Dichloroprop...	10.579	79	35232	17.843	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	71.360%
47) 2-Hexanone-d5	10.926	63	38825	47.427	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.860%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	93939	23.502	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.000%
66) 1,2-Dichlorobenzene-d4	13.853	152	92696	23.484	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.920%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051822\
Data File : VW023149.D
Acq On : 18 May 2022 23:17
Operator : SY/VA
Sample : N2848-08
Misc : 5.20g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: May 19 04:55:21 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 19 04:23:21 2022
Response via : Initial Calibration

