

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051822\
 Data File : VW023137.D
 Acq On : 18 May 2022 17:23
 Operator : SY/VA
 Sample : N2848-01
 Misc : 5.39g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXXW3

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/20/2022
 Supervised By :Mahesh Dadoda 05/27/2022

Quant Time: May 19 01:25:20 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 19 01:20:33 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	320117	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	307862	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	155552	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	86322	13.143	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	52.560%		
7) Chloroethane-d5	2.879	69	71847	16.815	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	67.240%		
11) 1,1-Dichloroethene-d2	4.013	63	89052	10.494	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	41.960%#		
21) 2-Butanone-d5	7.074	46	62161m	49.780	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	99.560%		
24) Chloroform-d	7.647	84	184943	19.720	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	78.880%		
26) 1,2-Dichloroethane-d4	8.305	65	106021	20.611	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	82.440%		
32) Benzene-d6	8.275	84	336029	18.937	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	75.760%		
36) 1,2-Dichloropropane-d6	9.274	67	104813	21.027	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	84.120%		
41) Toluene-d8	10.323	98	306856	17.901	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	71.600%		
43) trans-1,3-Dichloroprop...	10.579	79	41274	17.983	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	71.920%		
47) 2-Hexanone-d5	10.921	63	47606	50.030	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	100.060%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	108770	23.412	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	93.640%		
66) 1,2-Dichlorobenzene-d4	13.853	152	112362	20.664	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	82.640%		
Target Compounds					Qvalue	
13) Acetone	4.129	43	5538	5.924	ug/L	66

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051822\
Data File : VW023137.D
Acq On : 18 May 2022 17:23
Operator : SY/VA
Sample : N2848-01
Misc : 5.39g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXXW3

Quant Time: May 19 01:25:20 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 19 01:20:33 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/20/2022
Supervised By :Mahesh Dadoda 05/27/2022

